

TECHNICAL DATA EQUIPMENT

IMPORTANT INFORMATION **REGARDING THE SELECTION OF YOUR MOTORHOME**

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage - space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. THE TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS...

... is a value set by the manufacturer which the vehicle may not exceed. Carado specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

TYPE / MODEL	CV540 PRO	CV600 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	000
BERTHS	Ů Ů / + Ů орт	Ů Ů / + Ů ОРТ
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
Headroom in living area (cm)	190	190
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)
 Mass in running order (kg)*	2760 (2622 to 2898)*	2866 (2723 to 3009)*
Manufacturer-specified mass for optional equipment (kg)*	411	305
 Technically permissible maximum laden mass (kg) *	3500	3500

..... 2. THE MASS IN RUNNING ORDER...

... consists - to put it simply - of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Carado weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. THE PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section.

TYPE / MODEL	CV540 PRO	CV600 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	6666	0000
BERTHS	Ů Ů / + Ů ^{орт}	Ů Ů / + Ů ^{орт}
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
Headroom in living area (cm)	190	190
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)
Mass in running order (kg)*	2760 (2622 to 2898)*	2866 (2723 to 3009)*
Manufacturer-specified mass for optional equipment (kg)*	411	305
Technically permissible maximum laden mass (kg) *	3500	3500

··· 4. THE MANUFACTURER-SPECIFIED MASS FOR OPTIONAL EQUIPMENT...

... is a value set by Carado per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.

OPTIONAL EXTRAS	ADDITIONAL
ك ا	
CONVERSION	
Insulated waste water tank	

5. THE ADDITIONAL WEIGHT OF OPTIONAL EQUIPMENT AND PACKAGES... ... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.



CAMPER VAN MODEL OVERVIEW

CV540 PRO

CV600 PRO

CV601 PRO

CV640 PRO

4



TYPE / MODEL	CV540 PRO	CV600 PRO	CV601 PRO	CV640 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	000	0000	0000	0000
BERTHS	Ů Ů / + Ů Ů Ů ОРТ	Ů Ů / + Ů Ů Ů ОРТ	ŮŮŮ () Ů Ů / + Ů ОРТ	ŮÛ/+ÛÛOРТ
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273	599 / 205 / 273	636 / 205 / 273
Headroom in living area (cm)	190	190	190	190
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2802 (2662 to 2942)*	2858 (2715 to 3001)*	2898 (2753 to 3043)*	2946 (2799 to 3093)*
Manufacturer-specified mass for optional equipment (kg)*	353	295	277	200
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Tyre size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	345	404	404	404
Bed dimension middle L x B (cm)	185 x 87 - 63 ^{орт}	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{орт}	185 x 105 - 88 ^{орт}
Bed dimension rear L x B (cm)	195 x 133 - 130	197 x 157 - 150	185 x 157 - 150 187 x 130	192 x 108 - 73 184 x 86
Refrigerator volume incl. freezer (I)	84	84	84	84
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Diesel	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	100 / 20 1)	100 / 20 1)	100 / 20 ¹⁾	100 / 20 1)
Waste water tank (I)	90	90	90	90
Sockets 230 V	3	3	3	3
Sockets: USB	2	2	2	2
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 5	2x 11



7 m

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the avec mut not be exceeded. The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the



Configure your dream vehicle

OPT Optional

Standard equipment

Not possible

 Δ Not known at the time of publication

CAMPER VAN STANDARD EQUIPMENT

HIGHLIGHTS PRO PACKAGE

- Fiat Ducato 3.500 kg 2.2 Multijet -103 kW / 140 BHP Euro 6 - 6-speed manual gearbox ²⁾
- Bumper painted in White ³⁾
- 16" alloy wheels
- Folding Cab Blinds
- 90 I fuel tank
- Multifunction steering wheel
- Awning
- pro decals
- Basic Pack
- Style Pack

CHASSIS / **BASE VEHICLE**

• Electric and heated mirrors

- LED daytime running lights
- Cruise control
- ESP incl. ASR & Hillholder
- ESC Setup
- ABS
- Start & Stop function incl. booster
- Driver airbag
- Passenger airbag
- Manual cab air conditioning
- Electric operated cab windows and central locking
- Fix & Go breakdown kit
- · On-board computer incl. exterior temperature display
- Central cup holder
- Disc brakes, rear and front wheel stabilisers, heat convection, tachometer, power steering, heightadjustable headlights, immobiliser, lap and diagonal seat belts
- Driver and passenger seats in matching colours
- Captain chairs with covers
- Height and tilt adjustable driver and front passenger seats
- Swiveling driver and passenger seats

ውባ **EXTERIOR SETUP**

- 7-year water ingress warranty ⁴⁾
- Double glazed hinged windows with cassette blinds and fly screens (siting area, kitchen)
- Rear hinged window (incl. blackout blind and flyscreen)
- Both rear doors with hinged window (incl. roller blind)
- Roof light 40 x 40 cm over lounging area with fly screen and blinds
- Roof light 40 x 40 cm over bedroom with fly screen and blinds
- Rear storage space with 4 integrated lashing rings

COMFORT

-Ò-**INSTALLATIONS**

Flexible light strip

battery capacity

safety device

leisure battery (95 Ah AGM)

• On-board control panel supplies

• Electric charger for leisure and

CEE 230 V external socket with

vehicle battery 12 V / 18 A

waste water tank 90 l

information about filling levels and

- Isofix for 2 seats
- Bulkhead incl. step for rear double bed
- Flyscreen door
- Pedestal in lounging area with
- integrated storage compartment · Half dinette with integrated storage compartment
- Rear bed with partly slatted frame
- High quality mattresses with integrated GOODSITE for better sleeping comfort
- Ergonomically shaped upholstery for improved seating comfort
- · Easy to position spotlight in light bar (except CV601)
- Spacious storage compartments and storage options
- Storage space in rear and sliding doors
- Spacious wardrobe (except CV540)
- Furniture in Visby Oak and Sand grey
- Floor Calais
- Folding Cab Blinds

EQUIPEMENT **KITCHEN**

BATHROOM EQUIPMENT

Fixed washbasin

Spacious storage area

• Flush fitting LED spotlights

· Roof light with fly screen

Cassette toilet C 223

- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 Burner gas cooker with electric ignition and glass cover
- Worktop behind cooker (except
- CV540) Compressor fridge 84 |
- LED light tube
- Suspension bar (except CV540)
- ভি PAINTED

BUMPER



- Basic Pack Style Pack
- Bumper painted in White 3)
- pro Pack

6





- Illuminated pedestal in lounging area Individually adjustable LED spotlights High-performance, maintenance-free
- Gas bottle locker for 2 x 11 kg gas bottles (except CV601 with 2 x 5 kg bottles)
- Gas heating Combi 4
- · Diesel heating Combi 4
- · Gas control valves easily accessible
- and centrally arranged

• Sockets 3 x 230V, 1 x USB (double) • Fresh water tank capacity total 100 l,



• Fiat white

CAMPER VAN PACKS

BASIC PACK + 32.4 kg*

Roof light over lounge area 70 x 50 cm

Shower equipment (extendable shower head, shower curtain, guide rail and shower holder)

Window in bathroom

Clothes rail in bathroom

Wide entrance step

Rotating plate for table extension in seating area

Pre-cabling for reversing camera

STYLE PACK + 0 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

Gloss black radiator grill with chrome strips

Black glossy skid plate

LED Daytime running lights

Headlights with black frame

STYLE+ PACK + 0 ka*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

Gloss black radiator grill with chrome strips

Black glossy skid plate

Fully LED headlights including indicators and LED daytime running lights.

PRO PACK

Basic Pack
Style Package
Fiat Ducato 3.500 kg - 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 6-speed ma
Bumper painted in White
16" alloy wheels
Multifunction steering wheel
90 I fuel tank
Folding Cab Blinds
Awning
pro decals

CHASSIS SAFETY PACK + 0.5 kg³

Brake assistant with pedestrian and cyclist detection

Lane Assist

Rain and light sensor

Traffic sign and high beam detection

CHASSIS COMFORT PACK -6.3 kg*

Electrically folding door mirrors Parking sensors Blind spot assistant Fog lights Electric parking brake

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight type and layout that Carado uses to determine the maximum weight indicated for packages and optional equipment shows the additional available for factory-fitted optional equipment. Detailed information weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

anual gearbox

▲ Not known at the time of publication

CAMPER VAN OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT	
<u></u>		
CHASSIS / BASE VEHICLE		
Fiat Ducato 3.500 kg 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 9-speed automatic gearbox	55 kg	
Traction+ incl. Hill Descent Control	0.5 kg	
Spare wheel incl. holder and car jack instead of Fix & Go Kit	25 kg	
Digital instrument cluster (only in conjunction with multifunction steering wheel)	0.3 kg	
Automatic air conditioning incl. mobile phone charger (inductive)	0 kg	
Towbar (removable) ^{5) 6)}	30 kg	
Tyre pressure indicator	0.8 kg	
Headlights with black frame	0 kg	

OPTIONAL EXTRAS

End	
EXTERIOR SETUP	
Black pop-top roof	152 kg
Insulated and heated waste water tank	10.5 kg
Insulated waste water tank	8 kg
Bike rack for 2 bikes (black)	10.5 kg
Framed windows	5 kg

OPTIONAL EXTRAS

COMFORT	
Bed conversion for lounging area (transversal guest bed)	5 kg
Wooden duckboard for the shower tray	2 kg

🙅 * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ADDITIONAL WEIGHT*

ADDITIONAL WEIGHT*

•	0
0	0
0	0

CV540 PRO

0

0

0

CV540 PRO

CV600 PRO

0

0

0

CV600 PRO

0	0
0	0
0	0
0	0
0	0

CV540 PRO	CV600 PRO
-----------	-----------

0	0
0	0

∰ * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

01	1004	DD	^
C	1001	PK	U

CV601 PRO

CV601 PRO

CV640 PRO

CV640 PRO

CV640 PRO

0	0
0	0
0	0
0	0
0	0
0	0
0	0

-	0
0	0
0	0
0	0
0	0

0	0
0	0

INSTALLATIONS	
Second AGM leisure battery 95 Ah	27 kg
Heating Combi 6 E (with el. heating element) incl. digital control panel	2 kg
Diesel heating Combi 4	1.1 kg
Pre-cabling for solar panel	2 kg
TV pre-cabling / TV holder	3 kg
USB-port in the light rail	0 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
SOFT	
FURNISHING	
Living world in White	0 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
É EXTERIOR COLOUR	
Artense Grey metallic ⁷⁾	2.5 kg
Fer Grey metallic ⁷⁾	2.5 kg
Black metallic ⁷⁾	2.5 kg

0	0
0	0
0	0
0	0
0	0

CV540 PRO

0

CV540 PRO

*	*
CV540 PRO	CV600 PRO

0	0
0	0
0	0
0	0



Exterior colour "Campovolo" 7)

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ADDITIONAL WEIGHT*

2.5 kg



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

CV600 PRO

0

CV600 PRO

CV601 PRO	CV640 PRO
0	0
-	0
•	0
0	0
0	0
0	0

CV601 PRO

▲	A
CV601 PRO	CV640 PRO

CV640 PRO

0	0
0	0
0	0
0	0

d E

PAINTED BUMPER	
Bumper painted in Artense Grey metallic for Light chassis ³⁾	1 kg
Bumper painted in Fer Grey Metallic for Light chassis ³⁾	1 kg
Bumper black in metallic for Light Chassis ³⁾	1 kg
Campovolo bumper for Light Chassis only with selection of Campovolo chassis $^{\rm 3)}$	1 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
PACKS	
Style+ pack ⁸⁾	0 kg
Chassis Safety Pack	0.5 kg
Chassis Comfort Pack	-6.3 kg

ADDITIONAL WEIGHT*

0	0
0	0
0	0
0	0

CV540 PRO	CV600 PRO

0	0
0	0
0	0

Service *

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight type and layout that Carado uses to determine the maximum weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. not exceed the manufacturer-specified mass for optional equipment

CV/CO4 DD	0
CVOUIPR	U

0	0
0	0
0	0
0	0

CV601 PRO	CV640 PRO

o o	0	0
	0	0
0 0	0	0

- Not possible

 $oldsymbol{\Delta}$ Not known at the time of publication

Notes from page 69

CARADO ORIGINAL ACCESSORIES* BACKRACK+

RV&CA 1512

carado

Carado Original Accessories

Innovative. Individual. Modular. The Carado Backrack+ with its different components opens up a new world of transportation and makes your Campervan something special. Whether you have bicycles, e-bikes, a spare wheel or transport a practical aluminum box, the right component can be mounted on the Backrack+ quickly and easily. Other components are already being developed and the versatility of the system continuously expanded.

The Carado Backrack+ sets new standards in design and function.

MORE SPACE AND ORDER!

Ĩ.

(+)

The Backrack+ is an innovative component carrier for your Carado campervan.

Thanks to the various components it opens up a wide range of transport options for your individual journey!



The starting point for this modular system is the base frame. On the Backrack+ base frame you can connect the various components.

BACKRACK+



TICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
krack+ left	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502073	8,6 kg	80 kg
krack+ right	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502074	8,6 kg	80 kg

BIKE CARRIER SHUTTLE

Back



TICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
ckrack+ Bike	Camper Vans on Fiat Ducato		5,4 kg pro	28 kg pro
rrier Shuttle	and Citroen-Jumper-Basis		bike carrier shuttle	holding arm

MINI RACK






SUITABLE F Camper Vans and Citroe

WHEEL HOLDER





Camper Vans and Citroen Camper Vans a and Citroen

NUMBER AND LIGHT BAR

ARTICLE



Number and Light Bar Camper Vans $(implementation \le 6 m)$ Number and Light Bar (implementation > 6 m)

and Citroen Camper Vans and Citroen

SUITABLE F

carado-original-zubehör.com/en

₽<u></u><u></u>

* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads.

Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website

OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato Jumper-Basis	8502213	4,5 kg	20 kg

OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato Jumper-Basis	8502214	2,5 kg	35 kg
ıf Fiat Ducato Jumper-Basis	8502215	2,5 kg	35 kg

OR SERIES	ARTNR.	WEIGHT*	PAYLOAD
n Fiat Ducato Jumper-Basis	8502231	15,8 kg	100 kg
n Fiat Ducato Jumper-Basis	8502232	15,8 kg	100 kg



VAN MODEL OVERVIEW

					þ	
					Í	
0 1	2	3	4	5	6	7 m

TYPE / MODEL	V132 PRO	V337 PRO	V339 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	000	000	000
BERTHS	() () / + () OPT	<u></u> 6 6	<u> </u>
Length / Width / Height (cm)	594 / 214 / 274	664 / 214 / 274	685 / 214 / 274
Headroom in living area (cm)	195	195	195
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2616 (2485 to 2747)*	2686 (2552 to 2820)*	2703 (2568 to 2838)*
Manufacturer-specified mass for optional equipment (kg)*	550	473	446
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tyre size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CP
Wheelbase (cm)	345	380	380
Bed dimension middle L x B (cm)	192 x 65 - 45 ^{орт}		
Bed dimension rear L x B (cm)	194 x 140 - 130	200 x 70 195 x 80 200 - 195 x 194 ^{орт}	195 x 140
Refrigerator volume incl. freezer (I)	78 (11)	78 (11)	78 (11)
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (l)	116 / 20 ¹⁾	116 / 20 ¹⁾	116 / 20 ¹⁾
Waste water tank (I)	92	92	92
Sockets 230 V	4	4	4
Sockets: USB	2	2	2
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 85	65 x 105 70 x 75	85 x 90 85 x 90
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 11

OPT Optional



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated laden mass of the vehicle and the technically permissible maximum value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

18



Configure your dream vehicle

• Standard equipment - Not possible

▲ Not known at the time of publication

MOTORHOME STANDARD EQUIPMENT

HIGHLIGHTS PRO PACKAGE

- Fiat Ducato 3.500 kg 2.2 Multijet -103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- Chassis colour white
- · Painted bumper
- · Painted bumper
- 16" steel rims with wheel trims
- 16" steel rims (for light chassis) with wheel trims
- Folding Cab Blinds
- Cab sunroof
- Special coloured overhead storage cupboard doors in cozy white
- pro decals
- Insulated waste water tank
- 2nd external storage door (size depends on layout)
- Basic Pack

CHASSIS / **BASE VEHICLE**

• Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt

- 75l fuel tank • Daytime running lights, integrated in headlights
- Driver and passenger seats swivel
- Passenger airbag
- Manual cab air conditioning
- Cruise control
- Captain chairs with covers
- 16" steel rims (for light chassis) with wheel trims
- Electric operated cab windows and central locking
- ABS, EBD, ESP incl. ABS and hillholder
- Driver and passenger seats with armrests & upholstered covers
- Driver airbag • Front Wheel Drive
- Body coloured front bumper
- · Central cup holder
- Height and tilt adjustable driver and front passenger seats
- · Comfortable driving experience with rear and front axle stabilizers
- Fix & Go breakdown kit
- Start & Stop function incl. booster

ውባ **EXTERIOR SETUP**

- 7-year water ingress warranty ⁴⁾
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness: 34mm, floor thickness: 41mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- High quality entrance door with ergonomic handle inside and outside
- Electric entrance step
- · Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg

COMFORT

-Ò-**INSTALLATIONS**

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension
- High-quality mattress in all beds • Removable and washable mattress
- cover · Wooden slatted frame in all fixed-
- beds for better sleeping comfort Spacious storage compartments and
- storage options • Ventilation for storage locker and seat backrest
- Overhead lockers with softclose
- system • Furniture in 'Visby Oak'
- Floor Calais

• High-performance, maintenanceleisure battery (95 Ah AGM)

- On-board control panel supplies information about filling levels and battery capacity
- · Automatic switching and separatir systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light • LED Interior light
- USB Socket (double)
- Fresh water tank capacity total 116 l,
- waste water tank 92 l

EQUIPEMENT **KITCHEN**

BATHROOM EQUIPMENT

- · Ergonomically arranged kitchen with Vario-bathroom
 - · Roof vent with integrated flyscreen blind
 - Large mirrors
 - Clothes rail in bathroom
 - Shower cubicle lining
- spacious work top
- ignition and glass cover
- Waste bin

• pro Pack

印 PACKS

- Large soft-close drawers in kitchen
- 2 Burner gas cooker with piezo
- Fridge 78 | with 11 | freezer
- compartment



free	Gas control valves easily accessible	
	and centrally arranged	
	 Gas heating Combi 4 	
d	 Gas bottle locker for 2 x 11 kg gas 	
	bottles	
ing		



· Chassis colour white

MOTORHOME PACKS

BASIC PACK + 15.6 kg*

Panoramic roof light over lounge area Clear glass roof light 40 x 40 Mirror with indirect lighting and coat hooks

Bridge Light

Pre-cabling for reversing camera

Flyscreen door (one-piece)

PRO PACK + 51.6 kg*

Basic PackFiat Ducato 3.500 kg - 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 6-speed manual gearboxPainted bumper16" steel rims with wheel trims16" steel rims with wheel trimsFolding Cab BlindsCab sunroofSpecial coloured overhead storage cupboard doors in cozy whiteInsulated waste water tank2nd external storage door (size depends on layout)pro decals

CHASSIS SAFETY PACK + 0.5 kg*

Brake assistant with pedestrian and cyclist detection Lane Assist Rain and light sensor Traffic sign and high beam detection

STYLE PACK + 0 kg*


Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) Gloss black radiator grill with chrome strips Black glossy skid plate LED Daytime running lights Headlights with black frame

STYLE+ PACK + 0 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) Gloss black radiator grill with chrome strips

Black glossy skid plate

Fully LED headlights including indicators and LED daytime running lights.



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
CHASSIS / BASE VEHICLE	
Fiat Ducato 3.500 kg 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 9-speed automatic gearbox	55 kg
Digital instrument cluster (only in conjunction with multifunction steering wheel)	0.3 kg
Headlights with black frame	0 kg
Traction+	0.5 kg
Multifunction steering wheel	0.4 kg
16" alloy wheels	8 kg
90 l fuel tank	13.5 kg



INCREASE OF LOAD CAPACITY

OPTIONAL EXTRAS

OPTIONAL EXTRAS

Weight increase to 3.650 kg (no chassis modification) *	0 kg

면민 EXTERIOR SETUP Two rear corner steadies 6 kg Bike rack for 3 bikes 12.5 kg **OPTIONAL EXTRAS ADDITIONAL WEIGHT***

COMFORT	
Bed conversion for seating area 2) ⁹⁾	5 kg
Bed conversion single to double bed	5 kg
Carpet	5 kg
Wooden duckboard for the shower tray	2 kg

Service * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ADDITIONAL WEIGHT*

ADDITIONAL WEIGHT*

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
V132 PRO	V337 PRO	V339 PRO

0	0	0
V132 PRO	V337 PRO	V339 PRO
0	0	0
_	0	0
0	0	0
0 V132 PRO	V337 PRO	V339 PRO
V132 PRO	V337 PRO	V339 PRO
V132 PRO	V337 PRO	V339 PRO

0	0	0
V132 PRO	V337 PRO	V339 PRO
0	0	0
<u>,</u>	0	0
0	0	0
V132 PRO	V337 PRO	V339 PRO
V132 PRO	V337 PRO	V339 PRO
V132 PRO	V337 PRO	V339 PRO

* INFO

The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

V337	PRO	١
1007		

V132 PRO

V339 PRO

PRO	V339 PRO



INSTALLATIONS	
Second AGM leisure battery 95 Ah	27 kg
Heating Combi 6 E (with el. heating element) incl. digital control panel	2 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Electric floor heating in living area	6 kg
Pre-cabling for solar panel	2 kg
Oven in kitchen	12 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
SOFT FURNISHING	
Living world in White	0 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
É EXTERIOR COLOUR	
Chassis Artense silver	2.5 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
PACKS	
Chassis Safety Pack	0.5 kg
Style Pack	0 kg
Style+ Pack ⁸⁾	0 kg

Sinfo *

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ADDITIONAL WEIGHT*

0 kg

V132 PRO

V337 P

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

V132 PRO	V337 PRO	V339 PRO

▲	<u>۸</u>	▲
V132 PRO	V337 PRO	V339 PRO

0	0	0
V132 PRO	V337 PRO	V339 PRO
V132 PRO	V337 PRO	V339 PRO

۰ ۰ ۰ ۰ ۰ ۰ ۰	0	0	0
o o o	0	0	0
	0	0	o

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight type and layout that Carado uses to determine the maximum weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section. not exceed the manufacturer-specified mass for optional equipment

NFO * INFO

26

•	R	Ο
	•••	-

- Not possible $oldsymbol{\Delta}$ Not known at the time of publication

Notes from page 69

INTEGRATED MODEL OVERVIEW



TYPE / MODEL	1338	1447	1449
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	ŮŮV + Ů орт	ΰ ΰ ΰ ΰ / + ΰ opt
BERTHS	6 6 6 6	ŮŮŮ (Ů (Ů () + Ů ОРТ	ŮŮV + Ů орт
Length / Width / Height (cm)	697 / 232 / 290	740 / 232 / 290	740 / 232 / 290
Headroom in living area (cm)	210	210	210
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2885 (2741 to 3029)*	2946 (2799 to 3093)*	2984 (2835 to 3133)*
Manufacturer-specified mass for optional equipment (kg)*	259	190	154
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tyre size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	380	404	404
Lying area Alcove/pull-down bed (cm)	200 x 150	200 x 150	200 x 150
Bed dimension middle L x B (cm)		210 x 65 ^{орт}	210 x 65 ^{орт}
Bed dimension rear L x B (cm)	190 x 80 200 x 80 210 x 159 ^{орт}	210 x 80 215 x 80 210 x 168 ^{орт}	195 x 150
Refrigerator volume incl. freezer (I)	98 (11) 156 (29) ^{орт}	98 (11) 156 (29) ^{орт}	98 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 ¹⁾	122 / 20 ¹⁾	122 / 20 ¹⁾
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{орт}	95 x 110 75 x 80 ^{opt}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 11

OPT Optional



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

338

1447

1449

28



Configure your dream vehicle

Standard equipment

Not possible

 $oldsymbol{\Delta}$ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

._____ CHASSIS / **BASE VEHICLE**

- Fiat Ducato 3.500 kg 2.2 Multijet -103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- Wide-track chassis
- Front Wheel Drive
- Daytime running lights, integrated in headlights
- Cruise control
- Driver airbag
- Passenger airbag
- ABS, EBD, ESP incl. ABS and hillholder
- Start & Stop function incl. booster
- Low vibration, electrical and heated cab mirrors in coach optic with wide angle
- Panoramic laminated glass windshield all-round
- Fix & Go breakdown kit
- Central cup holder
- · Manual cab air conditioning
- Comfortable driving experience with
- rear and front axle stabilizers • Disc brakes, heat convection, tachometer, power steering,
- immobiliser, 3-point seat belt • Driver and passenger seats with
- armrests & upholstered covers
- Driver and passenger seats swivel on Low Profile A-Class models and Overcab A132
- 75l fuel tank
- Height and tilt adjustable driver and
- front passenger seats
- Traction+
- Headlamp trim in grey
- Full LED front lighting (daytime
- running light, low beam, high beam and turn signal)
- Electric and heated mirrors
- Pilot seats with covers

ЮΠ **EXTERIOR SETUP**

- 7-year water ingress warranty ⁴⁾ • GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls • Roof and sidewall thickness: 34mm,
- floor thickness: 41mm • Rear light carrier in three parts with
- integrated LED multifunction lights • Cab blinds for best insulation and
- privacy shield • Double glazed hinged window with cassette blinds and flyscreens
- (except for bathroom) • Roof light with frosted perspex glass
- and flyscreen Coupé entrance
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside

COMFORT

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- · L-shape lounge with free-standing and rotating table ¹⁰⁾
- Table extension ¹¹⁾
- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Pull-down bed with Clima-Plux elements
- Spacious storage compartments and storage options
- · Ventilation for storage locker and seat backrest
- Furniture in Visby Oak and Sand grey
- Floor Calais
- Pull-down bed with Clima-Plux elements

-Ò́-**INSTALLATIONS**

(À **HEATING / GAS SUPPLY**

and centrally arranged

hottles

- · LED lighting integrated above the roof cabinets
- High-performance, maintenance-free Combi 6 gas heating leisure battery (95 Ah AGM) Gas control valves easily accessible
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- Mirror with indirect lighting and coat hooks
- 4x USB Socket (layout depending)
- Fresh water tank capacity total 122 l, waste water tank 92 l
- Radio pre-wiring with loudspeakers and roof antenna

BATHROOM EQUIPMENT

SOFT FURNISHING

- · Spacious bathroom with separate shower on the opposite side ¹³⁾
- Vario-bathroom ¹⁴⁾
- Swivel cassette toilet with electric flush ¹⁵⁾
- Roof vent with integrated flyscreen blind (depending on model)

- hooks ¹⁶⁾



30

- · Living world in White

- Large mirrors
- Clothes rail in bathroom
- Flexible railing system with two

EQUIPEMENT **KITCHEN**

- Gas bottle locker for 2 x 11 kg gas
- Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- Fridge 98 I with freezer compartment 11 I
- LED light band
- Waste bin
- · Flexible railing system with 2 hooks

MOTORHOME PACKS

BASIC PACK + 15.3 kg*

Panoramic roof light over lounge area

Clear glass roof light 40 x 40

Flyscreen door (one-piece)

Pre-cabling for reversing camera

Comfort entrance door

Bridge Light

PRO+ PACK •

Basic Pack

Style Package

16" alloy wheels

Large 156 | fridge with separate 29 | freezer compartment

Insulated waste water tank

Framed windows

Awning

High-level rear light cluster

2nd external storage door (size depends on layout)

pro+ decals

STYLE PACK + 0 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) Front design application

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

▲ Not known at the time of publication

CARADO ORIGINAL ACCESSORIES* MORE COMFORT TO TRAVEL!!

Our Carado water filter clearliQ travel ensures hygienically pure water on the go – reliable, odor and taste neutralizing, and easy to change the filter.

Our outdoor insulating mats offer optimal heat protection in winter and effective sun protection in summer - easy to apply and suitable for any vehicle with a Fiat chassis.

And with our practical cot you can create additional sleeping space in the Fiat vehicle: Easy to assemble, space-saving and with a load capacity of 50 kg ideal for children.

WATER FILTERS CLEARLIQ TRAVEL POWERED BY GRÜNBECK



ARTICLE Water filter clearliQ travel powered by Grünbeck Replacement cartridge single pack Replacement cartridge double pack

OUTSIDE INSULATION MATS



ARTICLE External insulation External insulation

СОТ



ARTICLE Cot Fiat variant

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.



SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Low Profile Fiat (2012 – 2024) Coachbuilt (2012 – 2024)	8502066	1,34 kg
Campervan Fiat (2018 – 2024) Integrated (2018 – 2024) Van (2019 – 2024)	8502169	1 kg
Camper Van Ford (2023 – 2024) Low Profile Ford (2024)	8502170	1kg (pro Cartridge)

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Integrated from model year 2022	8502181	4,1 kg
Semi-integrated, Camper vans and vans	3333946	3,1 kg

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Vehicles with original Fiat cab Model year 2018 – 2024	3542687	10,5 kg



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	
<u></u> _		
CHASSIS / BASE VEHICLE		
Fiat Ducato 3.500 kg 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 9-speed automatic gearbox	55 kg	
16" steel rims (for light chassis) with wheel trims ¹⁷⁾	10 kg	
16" alloy wheels ¹⁷⁾	8 kg	
16" alloy wheels for maxi chassis ¹⁸⁾	0 kg	
90 l fuel tank	13.5 kg	
Digital instrument cluster (only in conjunction with multifunction steering wheel)	0.3 kg	
Automatic air conditioning incl. mobile phone charger (inductive)	0 kg	
Multifunction steering wheel	0.4 kg	

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
INCREASE OF	
LOAD CAPACITY	

LOAD CAPACITI	
Weight increase to 3.650 kg (no chassis modification) *	0 kg

OPTI	ON	ΔΙΕ	YTP	

EXTERIOR
SETUPHigh-level rear light clusterFramed windowsFramed windowsInsulated waste water tank2nd external storage door (size depends on layout)Two rear corner steadiesBike rack for 3 bikes12.5 kg



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

ADDITIONAL WEIGHT*

0	0	0
0	0	0
•		•
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
1338	1447	1449

		Ŭ
1338	1447	1449

D	•	•
	•	
		•
0	0	0
	<u>_</u>	
0	0	0

▲ * INFO

1338

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

1447	1449

ADDITIONAL WEIGHT*

ADDITIONAL WEIGHT*

ADDITIONAL WEIGHT*

COMFORT

Bed conversion single to double bed	5 kg
Bed conversion for seating area 2) ¹⁹⁾	5 kg
5th seat on side bench with seat belt * ²⁰⁾	15 kg
Wooden duckboard for the shower tray	2 kg
Carpet	5 kg

OPTIONAL EXTRAS	



OPTIONAL EXTRAS

OPTIONAL EXTRAS

INSTALLATIONS	
Pre-cabling for solar panel	2 kg
Large 156 fridge with separate 29 freezer compartment	13 kg
Oven in kitchen (only in conjunction with 156 l fridge)	12 kg
Second AGM leisure battery 95 Ah	27 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Electric floor heating in living area	6 kg
Heating Combi 6 E (with el. heating element) incl. digital control panel	2 kg

SOFT FURNISHING	
Living world in Brown	0 kg

PACKS	
Basic Pack	15.3 kg
pro+ Pack	۵
Style Pack	0 kg

🙅 * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

1338	1447	1449
0	0	0
0	0	0
-	0	0
-	0	0
0	0	-

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
1338	1447	1449

0	0
1338	1447

0	0
0	0
0	0

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandard

Service * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

ľ		

		0	
7		1449	
		0	
		0	
		0	
tory	- Not possible	▲ Not known at the time of publication	Notes from page 69

SEMI-INTEGRATED MODEL OVERVIEW



TYPE / MODEL	T135	T338	T447
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	6666	000	ဂို ဂို ဂို ဂို ဂို / + ဂို OPT
BERTHS	<u></u>	Ů Ů / + Ů Ů ОРТ	⁰ ⁰ ¹ + ⁰ ⁰ ⁰ ⁰ ⁰
Length / Width / Height (cm)	594 / 232 / 290	695 / 232 / 290	739 / 232 / 290
Headroom in living area (cm)	195	210	210
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2729 (2593 to 2865)*	2793 (2653 to 2933)*	2901 (2756 to 3046)*
Manufacturer-specified mass for optional equipment (kg)*	431	356	241
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tyre size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	380	404
Lying area Alcove/pull-down bed (cm)		195 x 140 - 110 ^{орт}	195 x 140 - 110 орт
Bed dimension middle L x B (cm)			210 x 65 ^{opt}
Bed dimension rear L x B (cm)	200 x 135 - 115	190 x 80 200 x 80 210 x 159 ^{орт}	210 x 80 215 x 80 210 x 168 ^{opt}
Refrigerator volume incl. freezer (I)	78 (11)	98 (11) 156 (29) ^{орт}	98 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (l)	122 / 20 1)	122 / 20 1)	122 / 20 1
Waste water tank (I)	92	92	92
Sockets 230 V	5	4	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	65 x 75	95 x 110 75 x 80 ^{орт}	95 x 110 75 x 80 סייז
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 11

OPT Optional



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

T135

T338

T447

38



Configure your dream vehicle

Standard equipment

Not possible

 $oldsymbol{\Delta}$ Not known at the time of publication

SEMI-INTEGRATED MODEL OVERVIEW

TYPE / MODEL	T448	T457	T459
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	() () () () () () () () () () () () () (000	0000
BERTHS	ŮŮ/+ ŮŮŮ ОРТ	Ů Ů / + Ů Ů Ů ОРТ	() () / + () () () OPT
Length / Width / Height (cm)	729 / 232 / 290	739 / 232 / 290	739 / 232 / 290
Headroom in living area (cm)	210	210	210
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2855 (2712 to 2998)*	2912 (2766 to 3058)*	2913 (2767 to 3059)*
Manufacturer-specified mass for optional equipment (kg)*	286	228	225
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tyre size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	404	404	404
Lying area Alcove/pull-down bed (cm)	195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}
Bed dimension middle L x B (cm)	210 x 100 OPT	210 x 93 ^{OPT}	210 x 93 ^{орт}
Bed dimension rear L x B (cm)	205 x 80 210 x 80 210 x 168 ^{орт}	2x 200 x 80 210 x 168 ^{орт}	195 x 150
Refrigerator volume incl. freezer (I)	98 (11) 156 (29) ^{орт}	98 (11) 156 (29) ^{орт}	98 (11) 156 (29) ^{орт}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 ¹⁾	122 / 20 ¹⁾	122 / 20 ¹⁾
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{opt}	90 x 110 75 x 80 ^{орт}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 11

OPT Optional

▲ × INFO

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated laden mass of the vehicle and the technically permissible maximum value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the



Configure your dream vehicle

Standard equipment

Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

._____ CHASSIS / **BASE VEHICLE**

- Fiat Ducato 3.500 kg 2.2 Multijet -103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- Wide-track chassis
- Front Wheel Drive
- Daytime running lights, integrated in headlights
- Cruise control
- Driver airbag
- Passenger airbag
- ABS, EBD, ESP incl. ABS and hillholder
- Start & Stop function incl. booster
- Electric operated cab windows and central locking
- · Body coloured front bumper
- Fix & Go breakdown kit
- Central cup holder
- Comfortable driving experience with rear and front axle stabilizers
- Manual cab air conditioning
- Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt
- Electric and heated mirrors
- Radio aerial integrated in mirror
- Captain chairs with covers
- Driver and passenger seats with
- armrests & upholstered covers • Driver and passenger seats swivel on Low Profile A-Class models and Overcab A132
- 75l fuel tank
- · Height and tilt adjustable driver and
- front passenger seats

EXTERIOR

ЮΠ

SETUP

- 7-year water ingress warranty ⁴⁾ • GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness: 34mm, floor thickness: 41mm
- Rear light carrier in three parts with integrated LED multifunction lights • Double glazed hinged window with cassette blinds and flyscreens
- (except for bathroom) • Roof light with frosted perspex glass
- and flyscreen Electric entrance step
- Large rear garage with lowered
- frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- · High quality entrance door with ergonomic handle inside and outside

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- · L-shape lounge with free-standing and rotating table ¹⁰⁾
- Table extension ¹¹⁾
- High-quality mattress in all beds
- cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Furniture in Visby Oak and Sand grey

-Ò́-**INSTALLATIONS**

(À **HEATING /** GAS SUPPLY

Combi 6 gas heating

bottles

and centrally arranged

• Gas bottle locker for 2 x 11 kg gas

- · LED lighting integrated above the roof cabinets
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- Mirror with indirect lighting and coat hooks
- 4x USB Socket (layout depending)
- Fresh water tank capacity total 122 l, waste water tank 92 l
- Radio pre-wiring including speakers

Â BATHROOM EQUIPMENT



SOFT FURNISHING

· Living world in White

- Vario-bathroom ¹⁴⁾
- · Spacious bathroom with separate shower on the opposite side ¹³⁾
- · Bathroom with bench toilet and integrated shower cubicle ²¹⁾
- Swivel cassette toilet with electric flush ¹⁵⁾
- · Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- Clothes rail in bathroom
- · Flexible railing system with two hooks ¹⁶⁾

COMFORT

- Removable and washable mattress

- Floor Calais

EQUIPEMENT **KITCHEN**

- Gas control valves easily accessible
- Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- Fridge 78 | with 11 | freezer compartment ²¹⁾
- Fridge 98 I with freezer compartment 11 I
- LED light band
- Waste bin
- · Flexible railing system with 2 hooks

MOTORHOME PACKS

BASIC PACK + 15.3 kg*

Panoramic roof light over lounge area Clear glass roof light 40 x 40 Flyscreen door (one-piece) Pre-cabling for reversing camera Comfort entrance door Bridge Light

STYLE PACK + 0 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) Gloss black radiator grill with chrome strips Black glossy skid plate LED Daytime running lights Headlights with black frame

STYLE+ PACK + 0 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

Gloss black radiator grill with chrome strips

Black glossy skid plate

Fully LED headlights including indicators and LED daytime running lights.

CHASSIS SAFETY PACK + 0.5 kg*

Brake assistant with pedestrian and cyclist detection

Lane Assist

Rain and light sensor

Traffic sign and high beam detection

🙅 * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO PACK (CONTENTS DEPENDING IN FLOOR PLAN) -

Basic Pack Painted bumper

16" steel rims (for light chassis) with wheel trims

Folding Cab Blinds

Cab sunroof

Large 156 | fridge with separate 29 | freezer compartment

Insulated waste water tank

2nd external storage door (size depends on layout)

pro decals

PRO+ PACK (CONTENTS DEPENDING IN FLOOR PLAN) .

Basic Pack
Style Package
Chassis Artense silver
Painted bumper
16" alloy wheels
Folding Cab Blinds
Cab sunroof
Large 156 fridge with separate 29 freezer compartment
Insulated waste water tank
Awning
Framed windows
High-level rear light cluster
2nd external storage door (size depends on layout)

pro+ decals



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

44

▲ Not known at the time of publication

MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
<u></u>	
CHASSIS / BASE VEHICLE	
Fiat Ducato 3.500 kg 2.2 Multijet - 103 kW / 140 BHP Euro 6 - 9-speed automatic gearbox	55 kg
16" steel rims (for light chassis) with wheel trims ¹⁷⁾	10 kg
16" alloy wheels ¹⁷⁾	8 kg
16" alloy wheels for maxi chassis ¹⁸⁾	0 kg
Traction+	0.5 kg
90 l fuel tank	13.5 kg
Digital instrument cluster (only in conjunction with multifunction steering wheel)	0.3 kg
Automatic air conditioning incl. mobile phone charger (inductive)	0 kg
Multifunction steering wheel	0.4 kg
Headlights with black frame	0 kg

0	0	0
	D	
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
T135	T338	T447

T338

T447

T135

ODT		A I	EV1	
UPI	ION	AL		RAS

INCREASE OF LOAD CAPACITY	
Weight increase to 3.650 kg (no chassis modification) *	

0 kg

ADDITIONAL WEIGHT*

o o o

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

-		

T457

T459

0	0	0
D		D
•	D	D
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
		D
T448	T457	T459

|--|

en)	
EXTERIOR SETUP	
High-level rear light cluster	4 kg
Framed windows	5 kg
Insulated waste water tank	8 kg
Cab sunroof	7 kg
2nd external storage door (size depends on layout)	3 kg
Two rear corner steadies	6 kg

OPTIONAL EXTRAS

A	
COMFORT	
Bed conversion single to double bed	5 kg
Bed conversion for seating area 2)	5 kg
Pull-down bed with Clima-Plux elements	44 kg
5th seat on side bench with seat belt * ²⁰⁾	15 kg
Wooden duckboard for the shower tray	2 kg
Carpet	5 kg
Folding Cab Blinds	8 kg

OPTIONAL EXTRAS

ADDITIONAL WEIGHT*

ADDITIONAL WEIGHT*

INSTALLATIONS

-)Ó(-

Pre-cabling for solar panel	2 kg
Large 156 I fridge with separate 29 I freezer compartment	13 kg
Oven in kitchen (only in conjunction with 156 l fridge)	12 kg
Second AGM leisure battery 95 Ah	27 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Electric floor heating in living area	6 kg
Heating Combi 6 E (with el. heating element) incl. digital control panel	2 kg



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

D	D	D
D	D	•
-		•
0	0	0
T135	T338	T447

-	0	0
-	-	0
-	0	0
-	-	0
0	0	0
0	0	0
		•

T338

T447

0	0	0
-	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

* INFO

T135

The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional available for factory-fitted optional equipment. Detailed information weight compared to the standard equipment of the respective model and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

T459

	D	D
•		
•	D	D
•		•
0	0	0

T448	T457	T459

0	0	-
0	0	0
0	0	0
0	-	-
0	0	0
0	0	0
•	D	D

T448	T457	T459

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

OPTIONAL EXTRAS

PACKS

Basic Pack

Style Pack Style+ Pack⁸⁾

Chassis Safety Pack

SOFT FURNISHING	
Living world in Brown	0 kg

ADDITIONAL WEIGHT*

15.3 kg 0 kg

0 kg

Δ

Δ

0.5 kg

0	0	0
T135	T338	T447
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

0

0

pro Pack (contents depending in floor plan) pro+ Pack (contents depending in floor plan)

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory - Not possible



0

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.





0	0	0
T448	T457	T459

0	0	0
0	0	0
0	0	0
0	0	0
0	0	0
0	0	0

▲ Not known at the time of publication Notes from page 69

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

T SERIES MODEL OVERVIEW

		D
)))

T338 ED2 **TYPE / MODEL** ពុំពុំ PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)* ប៉ូប៉ូ/+ប៉ូប៉ូ BERTHS 699 / 232 / 2 Length / Width / Height (cm) Headroom in living area (cm) Standard chassis Ford Tran Standard engine 2,0I TE kW (BHP) 96 (13 Mass in running order (kg)* 2936 (2789 to 308 Manufacturer-specified mass for optional 2 equipment (kg)* Technically permissible maximum laden 350 mass (kg) * Trailer load braked (unbraked) (kg) 2000 (75 Tyre size 225/75 R 16 Wheelbase (cm) 37 Lying area Alcove/pull-down bed (cm) 195 x 140 - 110 Bed dimension middle L x B (cm) Bed dimension rear L x B (cm) 192 x 200 x

210 x 153 9 Refrigerator volume incl. freezer (I) 156 (2 Heating type Combi 6 G Fresh water tank capacity total / at driving 122 / 2 filling (I) Waste water tank (I) Sockets 230 V Sockets: USB Inner dimensions storage locker right/left 75 x ⁻ W x H (cm) 75 x Gas bottle storage (filling weight in kg) 2

OPT Optional



The specified mass in running order is a default value defined in the end of the line. If, in exceptional cases, the weighing shows that the type-approval procedure. Due to manufacturing tolerances, the actual load capacity falls below theminimum pay-mass despite actual weighed mass in running order may deviate from the value limiting the optional equipment due to a permissible weight stated above. Deviations of up to ± 5 % of the mass in running order deviation, we will check together with your trade partner and you are legally permissible and possible. The permissible range in whether we should, for example, increase the load capacity of the kilograms is given in brackets after the mass in running order. The vehicle, reduce the number of seats or remove optional equipment manufacturer-specified mass for optional equipment is a calculated before delivering the vehicle. The technically permissible maximum value for each type and layout that Carado uses to determine the laden mass of the vehicle and the technically permissible maximum maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & limitation of optional equipment is intended to ensure that the explanations on the subject of weight and the configuration of the minimum pay-mass, i.e. the legally prescribed free mass for baggage vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

T449 ED24	T447 ED24	24
ŮŮŮV+Ü орт	() () () () () () () ()	00
Ů Ů / + Ů Ů Ů ОРТ	Ů Ů / + Ů Ů Ů ОРТ	ОРТ
736 / 232 / 293	736 / 232 / 293	293
210	210	210
Ford Transit	Ford Transit	insit
2,0l TDCi	2,0l TDCi	DCi
96 (130)	96 (130)	130)
2979 (2830 to 3128)*	2963 (2815 to 3111)*	83)*
153	169	200
3500	3500	500
2000 (750)	2000 (750)	750)
225/75 R 16 CP	225/75 R 16 CP	CP
3954	3954	750
195 x 140 - 110 ^{орт}	195 x 140 - 110 ^{орт}) ОРТ
210 x 50 ^{орт}	210 x 50 ^{орт}	
195 x 150	205 x 80 212 x 80 210 x 168 ^{орт}	< 80 < 80 5 орт
156 (29)	156 (29)	(29)
Combi 6 Gas	Combi 6 Gas	Gas
122 / 20 1)	122 / 20 1)	20 ¹⁾
92	92	92
5	5	4
4	4	4
105 x 90 105 x 90	95 x 110 75 x 80	(110 (80
2x 11	2x 11	2x 11



Configure your dream vehicle

nal • Standard equi

Standard equipment

- Not possible

 Δ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

HIGHLIGHTS EDITION24 CHASSIS /

- Chrome Blue Chassis Colour
- Painted bumper
- 16" alloy wheels
- Cab sunroof
- Large 156 | fridge with separate 29 |
- freezer compartment
- Insulated waste water tank
- Awning
- Folding Cab Blinds
- 12V TV pre-cabling incl. flat screen
- holder
- Framed windows
- High-level rear light cluster • 2nd external storage door (size
- depends on layout)
- Edition graphics Living World Grey
- Basic Pack
- Chassis Pack

BASE VEHICLE

- Ford Transit 3.500 kg 2,0l TDCi 96 kW (130 BHP) - Euro VI E - 6-speed manual gearbox
- Wide-track chassis
- Front Wheel Drive
- Headlights with daytime running liahts
- Cruise control
- Driver and Passanger airbag
- ABS (anti-lock braking system), ESC (electronic stability program), TBC (traction control), EBD (electronic
- brake force distribution) • Hill start assist (crosswind assist, safety brake assist, rollover
- protection)
- Tyre pressure indicator
- Start & Stop Function incl. Booster • Electric cab windows
- Central locking cab with remote control
- Radiator grille chrome
- Fix & Go breakdown kit
- Radio (FM/MW) incl. four front speakers, DAB antenna, Bluetooth interface, USB port, hands-free system
- Cup holder driver and passenger side
- Tablet holder and USB port
- Disc brakes, rear and front wheel stabilisers, heat convection, tachometer, power steering, heightadjustable headlights, immobiliser, lap and diagonal seat belts
- Electric and heated mirrors
- · Comfort swivel seats for driver and front passenger, each with 2 armrests and lumbar support
- · Height and tilt adjustment for driver and passenger seat
- Driver and passenger seats in matching colours
- 70l fuel tank
- Leather steering wheel

ውብ **EXTERIOR**

SETUP

- 7-year water ingress warranty ⁴⁾ • GRP (glass fibre reinforced plastic)
- roof and rear wall
- · Aluminium sidewalls • Roof and sidewall thickness: 34mm,
- floor thickness: 41mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- · Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- · Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside

COMFORT

-Ò́-**INSTALLATIONS**

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension
- · High-quality mattress in all beds • Removable and washable mattress
- cover · Wooden slatted frame in all fixed-
- beds for better sleeping comfort · Spacious storage compartments and
- storage options • Ventilation for storage locker and seat backrest
- Furniture in Visby Oak and Sand grey
- Floor Calais

· LED lighting integrated above the roof cabinets

- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- · Automatic switching and separating systems for starter and leisure battery as well as for refrigerator · Electric charger for leisure and
- vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light • Mirror with indirect lighting and coat hooks
- 4x USB Socket (layout depending)
- Fresh water tank capacity total 122 l, waste water tank 92 l
- Radio pre-wiring including speakers

EQUIPEMENT **KITCHEN**

Â BATHROOM EQUIPMENT

flush

Large mirrors

- · Ergonomically arranged kitchen with Vario-bathroom ¹⁴⁾ spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- Large stainless steel circular sink with cover
- LED light band
- Waste bin
- Flexible railing system with 2 hooks
- 12)
- Clothes rail in bathroom • Flexible railing system with two hooks ¹⁶⁾

shower on the opposite side ¹³⁾

blind (depending on model)



- Basic Pack
- Chassis Pack
- EDITION24 Pack



- Combi 6 gas heating · Gas control valves easily accessible
- - and centrally arranged • Gas bottle locker for 2 x 11 kg gas bottles



- · Living World Grey
- · Spacious bathroom with separate
- Swivel cassette toilet with electric
- · Roof vent with integrated flyscreen

MOTORHOME PACKS

BASIC PACK + 15.3 kg*

Panoramic roof light over lounge area Clear glass roof light 40 x 40 Flyscreen door (one-piece) Pre-cabling for reversing camera Comfort entrance door Bridge Light

CHASSIS PACK + 13 kg*

Manual cab air conditioning Glove compartment with lid, additionally lockable Painted bumper Headlights with static cornering light Fog lights

EDITION24 PACK

Chrome Blue Chassis Colour
Painted bumper
16" alloy wheels
Folding Cab Blinds
Cab sunroof
Large 156 fridge with separate 29 freezer compartment
Insulated waste water tank
Awning
Framed windows
High-level rear light cluster
2nd external storage door (size depends on layout)
Edition graphics
Living World Grey
Basic Pack
Chassis Pack

▲ Not known at the time of publication

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* MORE SAFETY WHEN TRAVELING!

With an additional rotary bolt lock for all body doors and a security package with alarm system for windows you can protect your vehicle in the best possible way.

We also offer suitable safes, to keep your valuables safe.

SECURITY PACK WITH ALARM SYSTEM



ARTICLE Security package / alarm system



ARTICLE Passenger door safe Са Fiat Ducato (Series 8) Passenger door safe Ca ford 10 Floor safe

Floor safe: Does not fit T135, T339, V337. Not possible with special equipment 5th seat.

OSRAM NIGHT BREAKER LED



ARTICLE Osram Night Breaker LED

THEFT DETECTION - PROTECT & CONNECT POWERED BY VODAFONE AUTOMOTIVE

Ca



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Theft Tracking – Protect & Connect bowered by /odafone automotive	Low profile Fiat (2012 – 2024) Coachbuilt (2012 – 2024) Campervan Fiat (2018 – 2024) Integrated (2018 – 2024) Van (2019 – 2024) Camper Van Ford (2023 – 2024) Low Profile Ford (2024)	3061768	0,21 kg

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.



SUITABLE FOR SERIES	ARTNR.	WEIGHT*
w profile Fiat (2016 – 2024) Coachbuilt (2016 – 2024) Van (2019 – 2024)	3002806	1 kg

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Coachbuilt (2022 – 2024) aper Van Fiat (2022 – 2024) Van (2022 – 2024) v profile Fiat (2022 – 2024)	3436402	4,17 kg
nper Van Ford (2023, 2024) w Profile Ford (2023, 2024)	8502174	3,45 kg
w profile Fiat (2018 – 2024) Integrated (2018 – 2024)	2977685	12 kg

SUITABLE FOR SERIES	ARTNR.	WEIGHT*
w profile Fiat (2017 – 2024) Coachbuilt (2016 – 2024) mpervan Fiat (2018 – 2024) Van (2019 – 2024)	8502148	0,1 kg



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
<u>, </u>	
CHASSIS / BASE VEHICLE	
Ford Transit 3.500 kg - 2,0l TDCi - 96 kW (130 BHP) - Euro VI E - 6-speed automatic gearbox ²²⁾	45 kg
Ford Transit 3.500 kg - 2,0l TDCi - 114 kW (155 BHP) - Euro VI E - 6-speed manual gearbox	0 kg
Ford Transit 3.500 kg - 2,0l TDCi - 114 kW (155 BHP) - Euro VI E - 6-speed automatic gearbox ²²⁾	45 kg

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	
मिन		

EXTERIOR SETUP	
Two rear corner steadies	6 kg
Bike rack for 3 bikes	12.5 kg

OPTIONAL EXTRAS ADDITIONAL	
COMFORT	
5th seat on side bench with seat belt $*$ ²⁰⁾	15 kg
Carpet	5 kg
Pull-down bed with Clima-Plux elements	44 kg
Wooden duckboard for the shower tray	2 kg
Bed conversion for seating area 2) ¹⁹⁾	5 kg
Bed conversion single to double bed	5 kg

T338 ED24	T447 ED24	T449 ED24
0	0	0
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
-	0	0
0	0	0
0	0	0
0	0	0
-	0	0
0	0	-

T338 ED24	T447 ED24	T449 ED24
0	0	0
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
-	0	0
0	0	0
0	0	0
0	0	0
-	0	0
	-	

T338 ED24	T447 ED24	T449 ED24
1338 ED24	1447 ED24	1449 ED24
0	0	0
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
1330 ED24	144/ ED24	1449 ED24
0	0	0
0	0	0
T338 ED24	T447 ED24	T449 ED24
-	0	0
0	0	o
o	0	0
o	0	0
-	0	0
0	0	-



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment information section.

-)Ó(-

INSTALLATIONS	
12V TV pre-cabling incl. flat screen holder	3 kg
Second AGM leisure battery 95 Ah	27 kg
Heating Combi 6 E (with el. heating element) incl. digital control panel	2 kg
Electric floor heating in living area	6 kg
Pre-cabling for solar panel	2 kg
Oven in kitchen	12 kg

T338 ED24

ADDITIONAL WEIGHT*

0	0	0
0	0	0
0	0	o
0	0	0
0	0	0
0	0	0

Service * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory - Not possible



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each mass of the vehicle and reduces the pay-mass. The additional weight type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

-	
~	а
~	-

▲ Not known at the time of publication Notes from page 69

ALCOVES MODEL OVERVIEW

1	2	4 5	6	Ζm

TYPE / MODEL	A132 PRO	A361 PRO	A464 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	000	00000	0000
BERTHS	6666	6 6 6 6 6 6	6 6 6 6 6 6
Length / Width / Height (cm)	594 / 232 / 314	660 / 232 / 314	724 / 232 / 314
Headroom in living area (cm)	195	195	195
Standard chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multije
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2836 (2694 to 2978)*	Δ	3009 (2859 to 3159) [,]
Manufacturer-specified mass for optional equipment (kg)*	329	۵	5
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750
Tyre size	225/75 R 16 CP	225/75 R 16 CP	225/75 R 16 CF
Wheelbase (cm)	345	380	404
Lying area Alcove/pull-down bed (cm)	210 x 160	210 x 160	210 x 160
Bed dimension middle L x B (cm)		175 x 100	185 x 100
Bed dimension rear L x B (cm)	210 x 140 - 130	210 x 85 205 x 80	210 x 150 - 135
Refrigerator volume incl. freezer (I)	78 (11)	156 (29)	156 (29
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 20 1)	122 / 20 ¹⁾	122 / 20 1
Waste water tank (I)	92	92	92
Sockets 230 V	4	4	4
Sockets: USB	4	2	4
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 70	65 x 120 60 x 100	105 x 120 105 x 80
Gas bottle storage (filling weight in kg)	2x 11	2x 11	2x 1

Sinfo *

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum manufacturer-specified mass for optional equipment is a calculated laden mass of the vehicle and the technically permissible maximum value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The mass on the axle must not be exceeded. Detailed information & limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more and retrofitted accessories, is actually available for the vehicle load detailed description of all mandatory technical dependencies, please capacity of the vehicles delivered by Carado. The real weight of your refer to the explanations on the footnotes. vehicle ex works can only be determined when it is weighed at the

62



Configure your dream vehicle

OPT Optional • Standard equipment

equipment - Not possible

▲ Not known at the time of publication

MOTORHOME **STANDARD EQUIPMENT**

HIGHLIGHTS PRO PACKAGE

- 2nd external storage door (size depends on layout)²³⁾
- Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) * ²⁴⁾
- Large 156 | fridge with separate 29 | freezer compartment ²⁴⁾
- pro decals
- Basic Pack

CHASSIS / **BASE VEHICLE**

- Fiat Ducato 3.500 kg 2.2 Multijet -103 kW / 140 BHP Euro 6 - 6-speed manual gearbox
- Wide-track chassis
- Front Wheel Drive
- · Daytime running lights, integrated in
- headlights
- Cruise control
- Driver airbag
- Passenger airbag
- · ABS, EBD, ESP incl. ABS and hillholder
- Start & Stop function incl. booster
- Electric operated cab windows and
- central locking
- · Body coloured front bumper
- Fix & Go breakdown kit
- · Central cup holder
- Manual cab air conditioning
- Comfortable driving experience with rear and front axle stabilizers
- Disc brakes, heat convection, tachometer, power steering, immobiliser, 3-point seat belt
- Electric and heated mirrors
- Radio aerial integrated in mirror
- Captain chairs with covers
- · Driver and passenger seats with
- armrests & upholstered covers • Driver and passenger seats swivel on Low Profile A-Class models and Overcab A132
- 75l fuel tank
- Height and tilt adjustable driver and
- front passenger seats

मिन **EXTERIOR SETUP**

- 7-year water ingress warranty ⁴⁾
- GRP (glass fibre reinforced plastic) roof and rear wall
- · Aluminium sidewalls
- Roof and sidewall thickness: 34mm, floor thickness: 41mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- · Double glazed hinged window with cassette blinds and flyscreens
- (except for bathroom) · Roof light with frosted perspex glass
- and flyscreen
- Electric entrance step
- Large rear garage with lowered frame, lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg • High quality entrance door with
- ergonomic handle inside and outside • 2nd external storage door (size depends on layout)²³⁾

COMFORT

-`Ó`-**INSTALLATIONS**

High-performance, maintenance-free

leisure battery (95 Ah AGM)

• On-board control panel supplies

systems for starter and leisure

· Electric charger for leisure and

CEE 230 V external socket with

• Residual Current Device (RCD)

vehicle battery 12 V / 18 A

roof cabinets

battery capacity

safety device

• LED-Awning light • LED Interior light

- · Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension ¹¹⁾
- · High-quality mattress in all beds • Removable and washable mattress
- cover · Wooden slatted frame in all fixed-
- beds for better sleeping comfort • Overcab with side window on the
- right, hot air nozzles, 72 cm headroom and 210 x 160 cm bed size
- Sliding overcab bed for an improved access to the cab
- Safety net on overcab beds, bunk beds and on pull-down beds (depending on model)
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- · Furniture in Visby Oak and Sand grey Floor Calais
- Bed conversion for seating area 2)
- Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending
- 4x USB Socket (layout depending) • Mirror with indirect lighting and coat hooks • Fresh water tank capacity total 122 l,
- waste water tank 92 l
- Radio pre-wiring including speakers • Large 156 | fridge with separate 29 | freezer compartment 24)

EQUIPEMENT **KITCHEN**

- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawers in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- Fridge 78 | with 11 | freezer
- compartment
- LED light band
- Waste bin
- Flexible railing system with 2 hooks
- Large 156 | fridge with separate 29 | freezer compartment ²⁴⁾

- Bathroom with separate shower ²⁴⁾ Vario-bathroom ¹⁴⁾
- Swivel cassette toilet with electric flush
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors

BATHROOM

EQUIPMENT

A

- · Clothes rail in bathroom

on vehicle weight) * 24)



• LED lighting integrated above the	

• Gas bottle locker for 2 x 11 kg gas hottles

- Combi 6 gas heating
- Gas control valves easily accessible and centrally arranged
- information about filling levels and
- · Automatic switching and separating
- battery as well as for refrigerator



- Basic Pack • pro pack A132
- pro pack A361 / A464

MOTORHOME PACKS

BASIC PACK + 15.3 kg*

Panoramic roof light over lounge area

Clear glass roof light 40 x 40

Flyscreen door (one-piece)

Pre-cabling for reversing camera

Comfort entrance door

Bridge Light

PRO PACK A132 + 26.3 kg*

Basic Pack

Painted bumper

16" alloy wheels

2nd external storage door (size depends on layout)

pro decals

PRO PACK A361 / A464 + 45.3 kg*

Basic Pack

Painted bumper

16" alloy wheels

2nd external storage door (size depends on layout)

Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) *

Large 156 | fridge with separate 29 | freezer compartment

The factory installation of optional equipment increases the actual

mass of the vehicle and reduces the pay-mass. The additional weight

indicated for packages and optional equipment shows the additional

weight compared to the standard equipment of the respective model

or layout. The total weight of the selected optional equipment must

not exceed the manufacturer-specified mass for optional equipment

pro decals

▲ Not known at the time of publication

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* EVERYTHING IN ITS PLACE!

Discover our Carado Bike Carrier for safe and space-saving bicycle transport in the rear garage.

Use the magnetic board and the accessories for the embedded rails in the vehicle, to create order and maximize storage space.

The pull-out kitchen allows easy access to kitchen utensils, while the pull-out seat keeps your Seating area expanded and valuable storage space created.

BIKE CARRIER



ARTICLE	SUI
Bike carrier for 2 2 Bicycles	Low pr
Extension set for bike carriers	Co In
Wheel shell for wide tires	

ACCESSORIES FOR THE BALDACCI RAIL



ARTICLE SUIT Hanging hook Low pro Paper roll holder Co Spice Rack Camper

Coffee capsule holder

KITCHEN EXTENSION


PULL-OUT SEAT

SUIT ARTICLE Low pr Kitchen drawer

Kitchen pull-out: Suitable for all semi-integ and integrated. Does not fit Vans and Cam

ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Seat extension 300 mm	Integrated (2019 – 2024)	3246706	4,1 kg
Seat extension 600 mm	Low profile Fiat (2019 – 2024) Coachbuilt (2019 – 2024)	3246710	8 kg

Seat extension 300mm: Does not fit on T135, T339, V337. Not possible with the c nal 5th seat Seat extension 600mm: Does not fit on T132, T135, T338, T339 and I339, I447. Not possible with the optional 5th seat.



4 |INFO

* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.



ABLE FOR SERIES	ARTNR.	WEIGHT*
ofile Fiat (2016 – 2024)	3143704	6,5 kg
achbuilt (2016 – 2024) tegrated (2018 – 2024)	3247513	1,5 kg
Vans (2020 – 2024)	8502061	0,66 kg

ABLE FOR SERIES	ARTNR.	WEIGHT*
ofile Fiat (2013 – 2024)	3105869	0,06 kg
tegrated (2018 – 2024) achbuilt (2020 – 2024) Van Fiat (2020 – 2024) ow Profile Ford (2024)	3105895	0,29 kg
	3106155	0,31 kg
	3106160	0,16 kg

ABLE FOR SERIES	ARTNR.	WEIGHT*	
ofile Fiat (2014 – 2024) egrated (2018 – 2024)	3040760	5,6 kg	
rated (except T348, T135, T132, T337, T459)			

rated (except	1348,	1135,	1132,	1337,	1459)	
oer Vans.						



MOTORHOME OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
INCREASE OF LOAD CAPACITY	
Weight increase to 3.650 kg (no chassis modification) *	0 kg
OPTIONAL EXTRAS	ADDITIONAL WEIGHT*
SOFT	
FURNISHING	

A132 PRO A361 P 0 0 A132 PRO A361 P



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

□ Available in package ● Standard equipment ○ Optional equipment ▲ Mandatory



The factory installation of optional equipment increases the actual shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight mass of the vehicle and reduces the pay-mass. The additional weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must information section. not exceed the manufacturer-specified mass for optional equipment

PRO	A464 PRO
	o
PRO	A464 PRO

- Not possible

 $oldsymbol{\Delta}$ Not known at the time of publication

Notes from page 69



NOTES	FOOTNOTES
Technical data as of August 2023, validity from August 1, 2023	1 Before driving, please ensure that the fresh water tank
	does not contain more than
Technical data as	20 .
of April 2023,	
validity from	2 Except CV540.
April 1, 2023	
	3 In combination with Maxi
This brochure contains the series	Chassis the bumper cannot
status at the time of printing.	be painted.
Despite checking the content,	4 The cost of in success comments
misprints cannot be ruled out. We reserve the right to make	4 The water ingress warranty conditions of Carado GmbH
equipment changes or product	apply.
improvements during the	apply.
course of the model year. Before	5 When a trailer hitch is fitted,
concluding the contract, please	the mass in running order
obtain information about the	changes, which may also
current product and series status	change the maximum
from one of our authorized	permissible number of
CARADO trading partners.	persons. Towing mass for
	ascents not over 12%
Some of the vehicles are	gradient.
shown with special equipment.	6 With Maxi-Chassis 3,000 /
The information corresponds to	750 kg.
the European homologation	roo kg.
regulations; These can change	7 If chassis colour Aluminio
up until the vehicle is purchased	Gray, Fer Gray or Black is
or delivered. Your CARADO	ordered, then the option
trading partner will be happy	"Bumper painted" is a
to inform you about any changes	mandatory option.
and the standard scope of delivery.	
	8 Only in conjunction with
The tightness guarantee conditions of Carado GmbH apply.	headlights on black frames.
	9 When ordering the option
With the publication of this	bed conversion of the seating
technical	area on the V132, please note
data, all previous price lists and	that the wardrobe in living
brochures lose their validity.	room is replaced with a side seat incl. overhead locker.
	seat filci. overfiead locker.
The copyright lies with Carado GmbH.	10 For T447, 1447, 1449.
When specifying technical data,	
possible printing errors and	11 Except T447, T457, T459,
mistakes remain reserved.	1447, 1449, A361, A464.
	12 Except T338, T338ED24,
	1338.
	13 For T447ED24, T449ED24,
	T447, T457, T459, I447, I449.

14 In A132, T448, T338, T338ED24 and I338.

re 15 Except T135.

16 Except T338, T338ED24, T448, I338, A132, A361, A464.

17 Not in conjunction with 9speed automatic transmission.

18 Only in conjunction with 9speed automatic transmission and/or Maxi Chassis.

d, 19 When ordering the option bed conversion of the seating area in the integrated unit the bed entrance is via the side bench.

20 When ordering the option "5th seat on side bench seat with seat belt", the storage compartment flap inside is omitted. An optional 5th seat must be taken into account when calculating the minimum payload and the mass of the passengers as a regular seat. In order for you to receive the 5th seat, it must be ensured that the minimum payload is still maintained and that all other legal mass values are complied with. Please feel free to contact our trade partners for detailed information.

21 In T135.

22 With an automatic transmission, the total weight is reduced to 4,250 kg and the technically permissible braked trailer load is 750 kg.

23 Lower window will be omitted on A361.

49. **24** A361, A464.

CONTACT

Carado GmbH Ölmühlestraße 6 88299 Leutkirch im Allgäu

Phone: +49 7561 9097 300 Fac: +49 7561 9097 400

info@carado.com www.carado.com

A company of the Erwin Hymer Group.

CONFIGURE YOUR DREAM VEHICLE:



LEGAL INFORMATION ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Carado configurator on our website offer you additional assistance in configuring your vehicle.

1. TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. MASS IN RUNNING ORDER

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100% in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100% with a weight of 16 kg;
- the fuel tank, which is 90% full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is ± 5 %. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions. These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Carado makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Carado by weighing each vehicle at the end of the line.

3. MASS OF THE PASSENGERS

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 \cdot 75$ kg = 225 kg.

4. OPTIONAL EQUIPMENT AND ACTUAL MASS OF THE VEHICLE

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer - i.e. ex works - and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works. The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order - as an element of the actual mass - is subject to a legally permissible tolerance of ± 5% (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. PAY-MASS AND MINIMUM PAY-MASS

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg \geq 10 \cdot (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \cdot (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

- 3.500 kg technically permissible maximum laden mass
- 2.850 kg mass in running order
- 3 · 75 kg mass of the passengers
- 100 kg minimum pay-mass

= 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2% above the nominal value:

3.500 kg	technically permissible maximum laden mass
0.0071	we also with a dimension in more than a surface

- 2.907 kg real weighed mass in running order
- (+ 2% compared to the stated value of 2,850 kg)- 3 · 75 kg mass of the passengers
- 325 kg optional equipment (maximum permissible value)
- = 43 kg actual load capacity
 - (< minimum pay-mass of 100 kg)

In order to avoid such a situation, Carado further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Carado will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. EFFECTS OF TOLERANCES OF THE MASS IN RUNNING ORDER ON THE PAY-MASS

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2% higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3.500 kg	technically permissible maximum laden mass
– 2.907 kg	real weighed mass in running order
	(+ 2 % compared to the stated value of 2,850 kg)
– 3 · 75 kg	mass of the passengers
– 150 kg	optional equipment ordered for the specific vehicle
= 218 kg	Tactual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

73





carado.com