

IMPORTANT INFORMATION

REGARDING THE SELECTION OF YOUR MOTORHOME

When buying a motorhome, camper van or urban vehicle (hereafter: motorhome), it is particularly important to choose the right layout and an appealing design. In addition, weight also plays an essential role. Family, friends, optional equipment, accessories and baggage – space must be available for all of these. At the same time, there are legal and technical limits to the configuration and load. Every motorhome is designed for a certain weight, which may not be exceeded during driving. For motorhome buyers, this raises the question: How should I configure my vehicle to accommodate passengers, baggage and accessories according to my needs without the vehicle exceeding this maximum weight? In order to make this decision easier for you, we provide you below with a few tips that are particularly important when selecting your vehicle from our portfolio:

1. THE TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS...

... is a value set by the manufacturer which the vehicle may not exceed. Carado specifies a layout-related upper limit for the vehicle, which can vary from layout to layout (e.g. 3,500 kg, 4,400 kg). You can find the corresponding specification for each layout in the technical data.

TYPE / MODEL	CV540 PRO	CV600 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000
BERTHS	Ŷ Ŷ / + Ŷ OPT	Ô Ô / + Ô OPT
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
Headroom in living area (cm)	190	190
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)
	2760 (2622 to 2898)*	2866 (2723 to 3009)*
Manufacturer-specified mass for c equipment (kg)*	pptional 411	305
Technically permissible maximum mass (kg) *	laden 3500	3500

2. THE MASS IN RUNNING ORDER...

... consists – to put it simply – of the basic vehicle with standard equipment plus a standard weight of 75 kg for the driver. It is legally permissible and possible for the mass in running order of your vehicle to deviate from the nominal value stated in the sales documents. The permissible tolerance is ± 5%. The permissible range in kilograms is given in brackets after the mass in running order. In order to provide you with full transparency regarding possible weight deviations, Carado weighs each vehicle at the end of the line and informs your trade partner of your vehicle's weighing result for forwarding to you.

Detailed explanations on the subject of mass in running order can be found in the "Legal Information" section.

3. THE PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)...

... is determined by the manufacturer in what is referred to as the type-approval procedure. This results in what is referred to as the mass of the passengers. For this, a standard weight of 75 kg per passenger (without driver) is calculated. Detailed explanations on the subject of mass of the passengers can be found in the "Legal Information" section.

TYPE / MODEL	CV540 PRO	CV600 PRO
 PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0 0 0	0 0 0
BERTHS	Ŷ Ŷ / + Ŷ OPT	Ŷ Ŷ / + Ŷ OPT
Length / Width / Height (cm)	541 / 205 / 273	599 / 205 / 273
Headroom in living area (cm)	190	190
Standard chassis	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)
Mass in running order (kg)*	2760 (2622 to 2898)*	2866 (2723 to 3009)*
 Manufacturer-specified mass for optional equipment (kg)*	411	305
Technically permissible maximum laden mass (kg) *	3500	3500

4. THE MANUFACTURER-SPECIFIED MASS FOR OPTIONAL EQUIPMENT...

... is a value set by Carado per layout for the maximum mass of optional equipment that can be ordered. This limit is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. If, in exceptional cases, the weighing at the end of the line nevertheless shows that the actual load capacity falls short of the minimum pay-mass due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle.

Detailed explanations on the subject of the effects of the tolerances on the minimum pay-mass and the payload can be found in the "Legal Information" section.



Roof light over lounge area 70 x 50 c Shower equipment (extendable show Window in bathroom

5. THE ADDITIONAL WEIGHT OF OPTIONAL EQUIPMENT AND PACKAGES...

... increases the actual mass of the vehicle (= mass in running order plus selected optional equipment) and reduces the pay-mass. The specified value shows the additional weight compared to the standard equipment of the respective layout. The total weight of the selected packages and optional equipment must not exceed the manufacturer-specified mass for optional equipment.



TYPE / MODEL	CV540	CV600	CV640
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	0000
BERTHS	Ů Û / + Û OPT	0 0 / + 0 OPT	() () / + () OPT
Length Width Height (cm)	541 / 205 / 258	599 / 205 / 258	636 / 205 / 258
Headroom in living area (cm)	190	190	190
Chassis	Peugeot Boxer	Peugeot Boxer	Peugeot Boxer
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2650 (2518 to 2783)*	2756 (2618 to 2894)*	2856 (2713 to 2999)*
Manufacturer-specified mass for optional equipment (kg)*	505	397	290
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	404	404
Bed dimension middle L x B (cm)	185 x 87 - 63 ^{OPT}	185 x 105 - 88 ^{OPT}	185 x 105 - 88 ^{OPT}
Bed dimension rear L x B (cm)	195 x 133 - 130	197 x 157 - 150	192 x 108 - 55 184 x 86
Refrigerator volume incl. freezer (I)	84	84	84
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	100 / 201)	100 / 201)	100 / 201)
Waste water tank (I)	90	90	90
Sockets 230 V	3	3	3
Sockets: USB	2	2	2
Storage underneath rear bed WxHxD	90 x 68 x 120	90 x 68 x 138	88 x 71 x 134
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



PT Optional

andard equipment

- Not possible

 $\boldsymbol{\Delta}$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



- Peugeot Boxer 3.500 kg | 2.2 BlueHDi | 103 kW | 140 BHP | Euro 6 | 6-speed manual gearbox
- Front wheel drive
- · Headlights with black frame
- Daytime running lights | integrated in headlights
- Electric and heated mirrors
- Radio aerial integrated in mirror
- ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- Driver and Passanger airbag
- Cruise control
- · Manual cab air conditioning
- Electric operated cab windows and central locking
- On-board computer incl. exterior temperature display
- Start & stop function incl. charge booster
- Disc brakes | rear and front wheel stabilisers | heat convection | tachometer | power steering | heightadjustable headlights | immobiliser | lap and diagonal seat belts
- Multifunction steering wheel
- Central cup holder
- USB socket (A+C)
- 60 I fuel tank
- ESC Setup incl. Traction+15" steel rims
- Tyres M+S Camping (snowflake)
- Fix & Go breakdown kit
- Radio pre-wiring including speakers
 Driver and passenger seats swivel
- Driver and passenger seat with lumbar support
- Driver and passenger seats with armrests & upholstered covers
- Height and tilt adjustable driver and front passenger seats



- 7-year water ingress warranty ²⁾
- Double glazed hinged windows with cassette blinds and fly screens
- Both rear doors with hinged window (incl. roller blind)
- Roof light 40 x 40 cm over lounging area with fly screen and blinds
- Roof light 40 x 40 cm over bedroom with fly screen and blinds
- Rear storage space with 4 integrated lashing rings
- Flyscreen door



- · Isofix for 2 seats
- Spacious storage compartment above driver's cab
- Bulkhead incl. step for rear double bed
- Pedestal in lounging area with integrated storage compartment
- Rear bed with partly slatted frame
- High quality mattresses with integrated GOODSITE for better sleeping comfort
- Ergonomically shaped upholstery for improved seating comfort
- Textile cab blinds
- Spacious storage compartments and storage options
- Storage space in rear and sliding doors
- Spacious wardrobe
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'



- Flexible light bar with individually adjustable LED reading spots
- Illuminated pedestal in lounging area
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Sockets 3 x 230V | 1 x USB (double)
- Fresh water tank capacity total 100 l | waste water tank 90 l



HEATING / GAS SUPPLY

- Gas bottle locker for 2 x 11 kg gas bottles
- Gas heating Combi 4
- Gas control valves easily accessible and centrally arranged



EQUIPEMENT KITCHEN

- Ergonomically arranged kitchen with spacious work top
- Large soft-close drawer in kitchen
- 2 burner gas cooker with electric ignition and glass cover
- Compressor fridge 84 I
- LED light tube
- Worktop behind cooker
- Flexible railing system with 2 hooks



- Fixed washbasin
- Spacious storage area
- Cassette toilet C 223
- Flush fitting LED spotlights
- Roof light with fly screen



· Soft furnishing in Black



Chassis colour lcy-white

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

BASIC PACK 3) + 31.4 kg*

Roof light over lounge area 70 x 50 cm

Shower equipment

Window in bathroom

Clothes rail in bathroom

Wide entrance step

Rotating plate for table extension in seating area

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES*

BACKRACK+ MORE SPACE AND ORDER!

Innovative. Individual. Modular. The Carado Backrack+ with its different components opens up a new world of transportation and makes your Campervan something special. Whether you have bicycles, e-bikes, a spare wheel or transport a practical aluminum box, the right component can be mounted on the Backrack+ quickly and easily. Other components are already being developed and the versatility of the system continuously expanded. The Carado Backrack+ sets new standards in design and function.

BACKRACK+



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Backrack+ left	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502073	8,6 kg	80 kg
Backrack+ right	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502074	8,6 kg	80 kg

BIKE CARRIER SHUTTLE



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Backrack+ Bike Carrier Shuttle	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis		5,4 kg pro bike carrier shuttle	ı .

MINI RACK



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Backrack+ Mini Rack	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502213	4,5 kg	20 kg

WHEEL HOLDER



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Backrack+ Wheel Holder (Light-Chassis)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502214	2,5 kg	35 kg
Backrack+ Wheel Holder (Maxi-Chassis)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502215	2,5 kg	35 kg

NUMBER AND LIGHT BAR



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*	PAYLOAD
Number and Light Bar (implementation ≤ 6 m)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502231	15,8 kg	100 kg
Number and Light Bar (implementation > 6 m)	Camper Vans on Fiat Ducato and Citroen-Jumper-Basis	8502232	15,8 kg	100 kg

carado-original-zubehör.com/en



* The items listed in this category are Carado original parts and accessories that are Delivered ex works and not subsequently fitted to the vehicle under the responsibility of the manufacturer become. Original Carado parts and accessories that are subsequently attached to the vehicle affect the payload option and the axle loads. Please note that the technically permissible total mass of the vehicle and the technically permissible total mass on the axle even after the attachment of the original Carado parts and accessories may be exceeded. Further information and explanations on the weight issue can be found in the sales documents and on the manufacturers' website.



OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540	CV600	CV640
PACKS				
Optic Pack 1 Painted bumpers	7 ka			
Optic Pack 2 Alloy wheels	3 kg	0	0	0
Basic Pack ³⁾	8 kg	0	0	0
Basic Pack	31.4 kg	0	0	0
CHASSIS / BASE VEHICLE				
Peugeot Boxer 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	0	0	0
90 I fuel tank	23 kg	0	0	0
EXTERIOR				
SETUP EXTERIOR				
Insulated and heated waste water tank	10.5 kg	0	0	0
Bike rack for 2 bikes (Black)	10 kg	0	0	0
COMFORT				
Wooden duckboard for the shower tray	2 kg	0	o	0
Folding cab blinds	8 kg	0	0	0
- Installations				
Second AGM leisure battery 95 Ah	27 kg	0	0	0
Heating Combi 6 E (with el. heating element) digital control panel	2 kg	0	0	0
Pre-cabling for reversing camera	1 kg	0	0	0
Pre-cabling for solar panel	2 kg	0	•	0
TV pre-cabling TV holder	3 kg	0	0	0
USB-port in the light rail	0 kg	0	0	0
		□ Available in package ● Standard equipmen	nt ○ Optional equipment ▲ Mandatory - Not possible	△ Not known at the time of publication Notes from page 88
△ +		△ →		

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540	CV600	CV640
SOFT FURNISHING				
Soft furnishing in White	0 kg	0	0	0
EXTERIOR COLOUR				
Chassis colour Iron Grey metallic	0 kg	0	o	0
Chassis colour Artense Grey metallic	0 kg	0	0	0
OTHERS				
Registration documents	0 kg	A	A	A



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

■ Available in package

Standard equipment

Optional equipment

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



TYPE / MODEL	CV540 PRO	CV541 PRO	CV600 PRO	CV601 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	ô ô	0000	0000
BERTHS	Ů Û / + Û Û OPT	0 0 / + 0 OPT	0 0 / + 0 0 OPT	0 0 0 0 / + 0 0 OPT
Length Width Height (cm)	541 / 205 / 261	541 / 205 / 281	599 / 205 / 261	599 / 205 / 261
Headroom in living area (cm)	190	190	190	190
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2747 (2610 to 2884)*	2852 (2709 to 2995)*	2856 (2713 to 2999)*	2892 (2747 to 3037)*
Manufacturer-specified mass for optional equipment (kg)*	408	499	297	263
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Tire size	225/75 R 16 C			
Wheelbase (cm)	345	345	404	404
Bed dimension: pop-top roof (cm)	206 x 143 OPT	206 x 143	206 x 143 OPT	206 x 143 OPT
Bed dimension middle L x B (cm)	185 x 87 - 63 OPT		185 x 105 - 88 OPT	185 x 105 - 88 OPT
Bed dimension rear L x B (cm)	195 x 133 - 130	180 x 100 OPT	197 x 157 - 150	185 x 157 - 150 187 x 130
Refrigerator volume incl. freezer (I)	84	62	84	84
Heating type	Combi 4 Gas	Combi 4 D Diesel	Combi 4 Gas	Combi 4 D Diesel
Fresh water tank capacity total / at driving filling (I)	100 / 201)	100 / 201)	100 / 201)	100 / 201)
Waste water tank (I)	90	90	90	90
Sockets 230 V	3	3	3	3
Sockets: USB	2	1	2	2
Storage underneath rear bed WxHxD	90 x 68 x 120	-	90 x 68 x 138	73 x 45 x 139
Gas bottle storage (filling weight in kg)	2 x 11	1 x 2,75	2 x 11	2 x 5

Configure your dream vehicle



OPT Optional

andard equipment

- Not possible

 $\boldsymbol{\Delta}$ Not known at the time of publication



7 m

The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



	CV602	CV640	CV600	CV640
TYPE / MODEL	PRO	PRO	PRO+	PRO+
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	0000	0000
BERTHS	() () / + () () OPT	() () / + () () OPT	0 0 / + 0 0 OPT	0 0 / + 0 0 OPT
Length Width Height (cm)	599 / 205 / 261	636 / 205 / 261	599 / 205 / 261	636 / 205 / 261
Headroom in living area (cm)	190	190	190	190
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2856 (2713 to 2999)*	2959 (2811 to 3107)*	2881 (2737 to 3025)*	2974 (2825 to 3123)*
Manufacturer-specified mass for optional equipment (kg)*	297	187	294	197
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2500 (750)	2500 (750)	2500 (750)	2500 (750)
Tire size	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C
Wheelbase (cm)	404	404	404	404
Bed dimension: pop-top roof (cm)	206 x 143 OPT	206 x 143 OPT	206 x 143 OPT	206 x 143 OPT
Bed dimension middle L x B (cm)	185 x 105 - 88 OPT	185 x 105 - 88 OPT	185 x 105 - 88 OPT	185 x 105 - 88 OPT
Bed dimension rear L x B (cm)	190 x 108 - 56 187 x 86	192 x 108 - 55 184 x 86	197 x 157 - 150	192 x 108 - 55 184 x 86
Refrigerator volume incl. freezer (I)	84	84	84	84
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	100 / 201)	100 / 201)	100 / 201)	100 / 201)
Waste water tank (I)	90	90	90	90
Sockets 230 V	3	3	3	3
Sockets: USB	2	2	2	2
Storage underneath rear bed WxHxD	75 x 70 x 133	88 x 71 x 134	90 x 68 x 138	88 x 71 x 134
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



OPT Optional

andard equipment

- Not possible

△ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



• Basic Pack 5)

- Basic Pack CV541⁵⁾
- Optic Pack 1 | Painted bumpers
- Optic Pack 2 | Alloy wheels
- pro Pack CV540 pro
- pro Pack CV541 pro
- pro Pack CV600 & CV601 & CV602
- pro Pack CV640 pro
- pro+ Pack CV600 pro+
- pro+ Pack CV640 pro+

CHASSIS / **BASE VEHICLE**

• Fiat Ducato 3.500 kg | 2.2 Multijet | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox

- Cruise control
- ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- ESC Setup
- Traction+ incl. hill descent assistant
- Start & Stop function incl. charge booster
- Driver airbag
- Passenger airbag
- · Manual cab air conditioning
- Electric operated cab windows and central locking
- Radio pre-wiring including speakers
- On-board computer incl. exterior temperature display
- USB socket (A+C)
- Multifunction steering wheel
- Central cup holder
- · Radio aerial integrated in mirror
- · Electric and heated mirrors
- Fix & Go breakdown kit
- · Front wheel drive
- Disc brakes | rear and front wheel stabilisers| heat convection | tachometer | power steering, heightadjustable headlights | immobiliser | lap and diagonal seat belts
- Tyres M+S Camping (snowflake)
- · Headlights with black frame
- Daytime running lights integrated in headlights
- Driver and passenger seats in matching colours
- Captain chairs with covers
- · Height and tilt adjustable driver and front passenger seats
- Swiveling driver and passenger seats
- · Driver and passenger seat with lumbar support
- Partition to the lounging area with two practical storage bags and coat hooks 7)



• 7-year water ingress warranty 2)

- Double glazed hinged windows with cassette blinds and fly screens
- Both rear doors with hinged window (incl. roller blind)
- Roof light 40 x 40 cm over lounging area with fly screen and blinds 6)
- Roof light 40 x 40 cm over bedroom with fly screen and blinds 6)
- · Rear storage space with 4 integrated lashing rings 6)
- Flyscreen door
- Black pop-top roof incl. panoramic roof light 7)
- Awning 3,15 m (black)



• Isofix for 2 seats 6)

- · Spacious storage compartment above driver's cab 8)
- · Chassis and lounging area separated by heat-insulating wall 7)
- Bulkhead incl. step for rear double bed 6)
- Pedestal in lounging area with integrated storage compartment 6)
- Double dinette with removable table
- Rear bed with partly slatted frame ⁶⁾
- · High quality mattresses with integrated GOODSITE for better sleeping comfort
- · Fixed steps for safe access to the pop-top roof with integrated storage compartments 7)
- · Ergonomically shaped upholstery for improved seating comfort
- · Spacious storage compartments and storage options
- · Storage space in rear and sliding
- Spacious wardrobe 9)
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'
- Multi-functional camping table 7)



INSTALLATIONS

- Flexible light bar with individually adjustable LED reading spots
- Illuminated pedestal in lounging area
- · Recessed LED spotlights in the living room and bathroom area
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- · Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Sockets 3 x 230V | 1 x USB (double)
- Fresh water tank capacity total 100 I waste water tank 90 l



HEATING / **GAS SUPPLY**

- Gas bottle locker for 2 x 11 kg gas
- Gas bottle locker for 2 x 5 kg gas bottles 11)
- Gas bottle locker for 1 x 2,75 kg gas bottle 7)
- Gas heating Combi 4 10)
- Diesel heating Combi 4 7) 11)
- Gas control valves easily accessible and centrally arranged



- · Ergonomically arranged kitchen with spacious work top
- · Ergonomically arranged kitchen with three drawers 7)
- Large soft-close drawer in kitchen
- · Folding extension for kitchen worktop 7)
- 2 burner gas cooker with electric ignition and glass cover
- · Worktop behind cooker

• LED light tube

- Compressor fridge 84 I ⁶⁾
- Compressor fridge 64 I 7)
- Flexible railing system with 2 hooks



- Swivelling bath ¹²⁾
- Fixed washbasin ⁶⁾ Foldable washbasin 7) • Bench toilet 7)
- - Cassette toilet C 223 ⁶⁾
 - Large closet with shelves ⁷⁾ • Comfortable shower area 7)
 - Spacious storage area
 - Flush fitting LED spotlights
 - Roof light with fly screen 6)



· Soft furnishing in Black



· Chassis colour white

PACKS

BASIC PACK 5) + 31.4 kg*

Roof light over lounge area 70 x 50 cm

Shower equipment

Window in bathroom

Clothes rail in bathroom

Wide entrance step

Rotating plate for table extension in seating area

INCLUDED AS STANDARD

BASIC PACK CV541 5) + 18.4 kg*

Shower equipment

Clothes rail in bathroom

Wide entrance step

Window in bathroom

Removable laundry bag

INCLUDED AS STANDARD

CHASSIS PACK -8.3 kg*

Electrically folding door mirrors

Parking sensors

Blind spot assistant

Electric parking brake

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter

Wireless smartphone charging

10" radio und navigation system (DAB+)

7" digital TFT color display

Rear view camera with dynamic grid lines

SAFETY PACK INCL. ACC + 0 kg*

Automatic braking system with pedestrian detection

Rain and light sensor

Lane assist

Traffic sign recognition

Fatigue detection

Intelligent speed detection

Adaptive cruise control >30 km/h

CO-DRIVER PACK FIAT 13) + 0.3 kg*

ACC with stop & go

Lane centering

Traffic jam assist

Automatic braking system with pedestrian detection

Rain and light sensor

Lane assist

Traffic sign recognition

Fatigue detection

Intelligent speed detection

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

INCLUDED AS STANDARD

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

INCLUDED AS STANDARD

PRO PACK CV540 PRO + 97.4 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

90 I fuel tank

Folding cab blinds

Awning 3.25 m (black)

Pro decals

INCLUDED AS STANDARD

PRO PACK CV541 PRO + 76.4 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

90 I fuel tank

Awning 3,15 m (black)

Pro decals

INCLUDED AS STANDARD



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO PACK CV600 & CV601 & CV602 PRO + 100.4 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

90 | fuel tank

Folding cab blinds

Awning 3.75 m (black)

Pro decals

INCLUDED AS STANDARD

PRO PACK CV640 PRO + 103.4 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

90 | fuel tank

Folding cab blinds

Awning 4 m (black)

Pro decals

INCLUDED AS STANDARD

PRO+ PACK CV600 PRO+ + 105.4 kg*

Optic Pack 2 | Alloy wheels

Basic Pack

90 | fuel tank

Folding cab blinds

Framed windows

Awning 3.75 m (black)

Pro+ decals

LED lighting integrated above the roof cabinets

Panoramic window above driver's and passenger seat

Wraparound overhead cabinet in rear

INCLUDED AS STANDARD

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must

not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO+ PACK CV640 PRO+ + 108.4 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

90 I fuel tank

Folding cab blinds

Framed windows

Awning 4 m (black)

Pro+ decals

LED lighting integrated above the roof cabinets

Panoramic window above driver's and passenger seat

Wraparound overhead cabinet in rear

INCLUDED AS STANDARD

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* EVERYTHING IN ITS PLACE!

Discover our Carado Bike Carrier for safe and space-saving bicycle transport in the rear garage.

Use the magnetic board and the accessories for the embedded rails in the vehicle, to create order and maximize storage space.

The pull-out kitchen allows easy access to kitchen utensils, while the pull-out seat keeps your Seating area expanded and valuable storage space created.

BIKE CARRIER



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Bike carrier for 2 Bicycles	Low profile Fiat	3143704	6,5 kg
Extension set for bike carriers	Coachbuilt Integrated	3247513	1,5 kg
Wheel shell for wide tires	Vans	8502061	0,66 kg

ACCESSORIES FOR THE BALDACCI RAIL



ARTIC	ELE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Hangir	ng hook	Low profile Fiat	3105869	0,06 kg
Paper	roll holder	Integrated	3105895	0,29 kg
Spice I	Rack	Coachbuilt Camper Van Fiat	3106155	0,31 kg
Coffee	capsule holder	Low Profile Ford	3106160	0,16 kg

KITCHEN EXTENSION



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Kitchen drawer	Low profile Fiat Integrated	3040760	5,6 kg
	Camper Vans	3542290	5,0 kg

Kitchen pull-out: Fits the following vehicles only without the oven option T338 Ford, T447 Ford, T338, T447, T448, all integrated vehicles.

PULL-OUT SEAT



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Seat extension 300 mm	Integrated	3246706	4,1 kg
Seat extension 600 mm	Low profile Fiat Coachbuilt	3246710	8 kg

Seat pull-out: Not possible with the 5th seat option.
Seat pull-out 300 mm: Does not fit T338 Fiat and T338 Ford.
Seat pull-out 600 mm: Fits T447 Fiat, T448, T459, I449, I338 and all alcoves.

carado-original-zubehör.com/en







OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540 PRO	CV541 PRO	CV600 PRO	CV601 PRO	CV602 PRO	CV640 PRO	CV600 PRO+	CV640 PRO+
PACKS									
Chassis Pack	-8.3 kg	0	0	0	0	0	0	0	0
Digital Pack	4 kg	0	0	0	0	0	0	0	0
Safety Pack incl. ACC	0 kg	0	0	0	0	0	0	0	0
Co-Driver Pack Fiat ¹³⁾	0.3 kg	0	0	0	0	0	0	0	0
CHASSIS / BASE VEHICLE									
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox	60 kg	0	0	0	0	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox	60 kg	0	0	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 6-speed manual gearbox $^{\rm 14)}$	40 kg	-	-	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 14)}$	60 kg	-	-	0	0	0	0	0	0
Fiat Ducato Maxi Chassis 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{\rm 14)}$	60 kg	-	-	0	0	0	0	0	0
Tyre pressure indicator	0 kg	0	0	0	0	0	0	0	0
Fully LED headlights incl. wiping indicators and LED daytime running lights	0 kg	0	0	0	0	0	0	0	0
Electrical preparation for trailer coupling	0 kg	0	0	0	0	0	0	0	0
Spare wheel incl. holder and car jack instead of Fix & Go kit	30 kg	0	0	0	0	0	0	0	0
INCREASE OF LOAD CAPACITY									
Fiat Ducato Maxi Chassis 4.250 kg 2.2 Multijet 132 kW 180 BHP Euro VI (HD) 8-speed automatic gearbox*	60 kg	-	-	-	-	-	0	-	0
EXTERIOR SETUP									
Black pop-top roof ¹⁵⁾	160 kg	0	•	0	0	0	0	0	0
Insulated and heated waste water tank	10.5 kg	0	0	0	0	0	0	0	0
Bike rack for 2 bikes (Black)	10 kg	0	0	0	0	0	0	0	0
Framed windows	5 kg	0	0	0	0	0	0	•	•
Sliding window in the rear on the right side	4.5 kg	-	0	-	-	-	-	-	-
		□ Available in	package • Standard	l equipment Optio	nal equipment A Ma	andatory Not poss	ble \Delta Not known	at the time of publication	Notes from page 88

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	CV540 PRO	CV541 PRO	CV600 PRO	CV601 PRO	CV602 PRO	CV640 PRO	CV600 PRO+	CV640 PRO+
COMFORT									
Bed conversion for seating area ¹⁶⁾	5 kg	0	0	0	0	0	0	0	0
Wooden duckboard for the shower tray	2 kg	0	0	0	0	0	0	0	0
Folding cab blinds	8 kg	•	0	•	•	•	•	•	•
- installations									
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg	o	-	0	-	0	0	0	0
Second AGM leisure battery 95 Ah	27 kg	0	0	0	0	0	0	0	0
Heating Combi 6 E (with el. heating element) digital control panel	2 kg	0	-	0	-	0	0	0	0
Diesel heating Combi 4 incl. integrated altitude pressure sensor and digital control panel ¹⁷⁾	4.6 kg	0	•	0	•	0	0	0	0
Pre-cabling for reversing camera	1 kg	0	0	0	0	0	0	0	0
Pre-cabling for solar panel ¹⁸⁾	2 kg	0	_	0	0	0	0	0	0
TV pre-cabling TV holder	3 kg	0	0	0	0	0	0	0	0
USB-port in the light rail	0 kg	0	0	0	0	0	0	0	0
Mobile internet (WiFi LTE antenna incl. router) 19)	1.42 kg	0	-	0	0	0	0	0	0
Solar system 100 watt incl. MPPT controller ¹⁸⁾	7.3 kg	0	-	0	0	0	0	0	0
SOFT FURNISHING									
Soft furnishing in White	0 kg	0	0	0	0	0	0	0	0
Soft furnishing in Grey	0 kg	0	0	0	0	0	0	0	0
EXTERIOR COLOUR									
Chassis colour Artense Grey metallic	2.5 kg	0	0	0	0	0	0	0	0
Chassis colour Iron Grey metallic	2.5 kg	0	0	0	0	0	0	0	0
Chassis colour Expedition Grey	0 kg	0	0	0	0	0	0	0	0
Chassis colour Lanzarote Grey	2.5 kg	0	0	0	0	0	0	0	0
OTHERS									
Registration documents	0 kg	A	A						



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

* INFO

■ Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

Standard equipment

Optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication

Not possible



TYPE / MODEL	V132	V337	V339	V347
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0000	0000	0000
BERTHS	0 0 / + 0 OPT	ŶŶ	ô ô	() () / + () () OPT
Length Width Height (cm)	596 / 214 / 271	666 / 214 / 271	688 / 214 / 271	698 / 214 / 271
Headroom in living area (cm)	195	195	195	195
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2566 (2438 to 2694)*	2668 (2535 to 2801)*	2661 (2528 to 2794)*	2733 (2596 to 2870)*
Manufacturer-specified mass for optional equipment (kg)*	600	491	488	432
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	380	380	380
Lying area Alcove / pull-down bed / Clever-lift bed (cm)				185 x 80 ^{OPT}
Bed dimension middle L x B (cm)	192 x 65 - 45 ^{орт}			196 x 91 ^{OPT}
Bed dimension rear L x B (cm)	194 x 140 - 130	200 x 70 195 x 80 200 - 195 x 194 ^{OPT}	195 x 140	195 x 70 195 x 76 195 x 194 ^{OPT}
Refrigerator volume incl. freezer (I)	78 (11)	78 (11)	78 (11)	137 (15)
Heating type	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas	Combi 4 Gas
Fresh water tank capacity total / at driving filling (I)	116 / 201)	116 / 201)	116 / 201)	116 / 201)
Waste water tank (I)	92	92	92	92
Sockets 230 V	4	4	4	4
Sockets: USB	4	2	2	2
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 85 ^{OPT}	65 x 105 70 x 75 ^{OPT}	85 x 90 85 x 90	95 x 105 75 x 80 ^{OPT}
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11	2 x 11

Configure your dream



 Not possible △ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and legout that Carado uses to determine the walue for each type and layout that Carado uses to determine to maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes. refer to the explanations on the footnotes.

STANDARD EQUIPMENT



- Citroën Jumper 3.500 kg | 2.2
 BlueHDi | 103 kW | 140 BHP Euro 6 |
 6-speed manual gearbox
- Front wheel drive
- Cruise control
- Driver and Passanger airbag
- ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- Traction+ incl. Hill Descent Control
- Comfortable driving experience with rear and front axle stabilizers
- Start & stop function incl. charge booster
- Electric and heated mirrors
- · Radio aerial integrated in mirror
- Daytime running lights | integrated in headlights
- Headlights with black frame
- Electric operated cab windows and central locking
- Fix & Go breakdown kit
- Captain chairs with covers
- Central cup holder
 Manual cab air cap
- Manual cab air conditioning
- USB socket (A+C)
- Multifunction steering wheel
- Radio pre-wiring including speakers
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- Tyres M+S Camping (snowflake)
- 15" steel rims
- Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seat with lumbar support
- Driver and passenger seats swivel
- Height and tilt adjustable driver and front passenger seats
- 60 I fuel tank



- 7-year water ingress warranty 2)
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights
- High quality entrance door with ergonomic handle inside and outside
- Electric entrance step
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg



- Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- Table extension
- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Overhead lockers with softclose
- Furniture in 'Visby Oak'
- Floor in 'Calais'



INSTALLATIONS

- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- USB Socket A/C
- Fresh water tank capacity total 116 | waste water tank 92 |



HEATING / GAS SUPPLY

- Gas control valves easily accessible and centrally arranged
- Gas heating Combi 4
- Gas bottle locker for 2 x 11 kg gas bottles



EQUIPEMENT KITCHEN

- Ergonomically arranged kitchen with spacious work top
- Folding extension for kitchen worktop ²⁰⁾
- Large soft-close drawer in kitchen
- 2 burner gas cooker with piezo ignition and glass cover
- Fridge 78 I with 11 I freezer compartment ²¹⁾
- Fridge 137 I with freezer compartment 15 I ²⁰⁾
- Waste bin



- Vario-bathroom
- Roof vent with integrated flyscreen blind
- Large mirrors
- Clothes rail in bathroom
- Shower cubicle lining



SOFT FURNISHING

Soft furnishing in Black



Chassis colour white

COLOUR

 $\overline{32}$

PRO+ PACK V132 + 80.3 ka*

Optic Pack 1 | Painted bumpers Optic Pack 2 | Alloy wheels Basic Pack Artense Grey metallic Folding cab blinds Cab sunroof Special coloured overhead storage and cupboard doors in cozy white Pro+ decals Awning 3.5 m Insulated waste water tank 2nd external storage door (size depends on layout)

PRO+ PACK V337 & V347 + 81.6 kg*

Optic Pack 1 | Painted bumpers Optic Pack 2 | Alloy wheels **Basic Pack** Artense Grey metallic Folding cab blinds Cab sunroof

Special coloured overhead storage and cupboard doors in cozy white

Pro+ decals

Awning 4 m

Insulated waste water tank

2nd external storage door (size depends on layout)

PRO+ PACK V339 + 78.6 kg*

Optic Pack 1 | Painted bumpers Optic Pack 2 | Alloy wheels Basic Pack Artense Grey metallic Folding cab blinds Cab sunroof Special coloured overhead storage and cupboard doors in cozy white Pro+ decals Awning 4 m Insulated waste water tank

BASIC PACK + 14.6 kg*

Panoramic roof light 70 x 50 cm Clear glass roof light 40 x 40 Mirror and coat hooks **Bridge Light** Flyscreen door (one-piece)

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

△ Not known at the time of publication

weight compared to the standard equipment of the respective model information section. or layout. The total weight of the selected optional equipment must information section.

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

PACKAGE PRICE (€)

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter

Wireless smartphone charging

10" radio and navigation system (DAB+)

7" digital TFT color display

Rear view camera without grid lines

SAFETY PACK INCL. ACC 22) + 0 kg*

Automatic braking system with pedestrian detection

Rain and light sensor

Lane assist

Traffic sign recognition

Fatigue detection

Intelligent speed detection

Adaptive cruise control >30 km/h



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

CARADO ORIGINAL ACCESSORIES* MORE SAFETY WHEN TRAVELING!

With an additional rotary bolt lock for all body doors and a security package with alarm system for windows you can protect your vehicle in the best possible way.

We also offer suitable safes, to keep your valuables safe.

SECURITY PACK WITH ALARM SYSTEM



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Security package / alarm system	Low profile Fiat Coachbuilt Van	3002806	1 kg

SAFES





ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
	Coachbuilt		
Passenger door safe	Camper Van Fiat		
Fiat Ducato	Van		
(Series 8)	Low profile Fiat	3436402	4,17 kg
Passenger door safe	Camper Van Ford		
ford	Low Profile Ford	8502174	3,45 kg
	Low profile Fiat		
Floor safe	Integrated	2977685	12 kg

Floor safe: Fits T448, T447 Fiat and T447 Ford, 1447 and 1449.

OSRAM NIGHT BREAKER LED



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Osram Night Breaker LED	Low profile Fiat Coachbuilt Campervan Fiat Van	8502148	0,1 kg

carado-original-zubehör.com/en







OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	V132	V337	V339	V347
PACKS					
pro+ Pack V132	80.3 kg	0	-	-	-
pro+ Pack V337 & V347	81.6 kg	-	0	-	0
pro+ Pack V339	78.6 kg	-	-	0	-
Basic Pack	14.6 kg	0	0	0	0
Optic Pack 1 Painted bumpers	3 kg	0	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0	0
Digital Pack	4 kg	0	0	0	0
Safety Pack incl. ACC ²²⁾	0 kg	0	0	0	0
CHASSIS / BASE VEHICLE					
Citroën Jumper 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	0	0	0	0
Citroën Jumper 3.500 kg 2.2 BlueHDi 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{4)}$	60 kg	-	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 6-speed manual gearbox	0 kg	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{4)}$	60 kg	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	-	0	0	0
90 I fuel tank	23 kg	0	0	0	0
Fully LED headlights incl. wiping indicators and LED daytime running lights	0 kg	0	0	0	0
Tyre pressure indicator	0 kg	0	0	0	0
Electric parking brake	-9.4 kg	0	0	0	0
INCREASE OF LOAD CAPACITY					
Weight increase to 3.650 kg (no chassis modification) *	0 kg	0	0	0	0



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal



■ Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

Standard equipment

Optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication



EXTERIOR SETUP

Cab sunroof	7 kg
Two rear corner steadies	6 kg
Bike rack for 3 bikes	12.5 kg
2nd external storage door (size depends on layout)	3 kg
Insulated waste water tank	8 kg

п	О	٥	п
0	0	0	0
0	0	0	0
0	0	•	п
п		o.	0



COMFORT

Bed conversion for seating area ²³⁾	5 kg
Clever-lift bed ²⁴⁾	14 kg
Bed conversion single to double bed	5 kg
Carpet	5 kg
Wooden duckboard for the shower tray	2 kg
Folding cab blinds	8 kg

0	-	-	0
-	-	-	0
-	0	-	0
0	0	0	0
0	0	0	0
п			-



INSTALLATIONS

Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Pre-cabling for solar panel	2 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg
Oven in kitchen	12 kg
Mobile internet (WiFi LTE antenna incl. router)	1.42 kg
Solar system 100 watt incl. MPPT controller	7.3 kg

0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0
0	0	0	0

₫

€ * INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

☐ Available in package

Standard equipment

Optional equipment

▲ Mandat

- Not possi

△ Not known at the time of publication

Notes from page



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

SOFT FURNISHING					
Soft furnishing in White	0 kg	0	0	0	0
Soft furnishing in Grey	0 kg	0	0	0	0
OTHERS					

0 kg

V132

V337

V339

V347

ADDITIONAL WEIGHT*



OPTIONAL EXTRAS

Registration documents

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

■ Available in package

● Standard equipment ○ Optional equipment ▲ Mandatory

Not possible

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



TYPE / MODEL	T135	T328	T338	T447
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0 0 0 0 / + 0 OPT	0000	0 0 0 0 / + 0 OPT
BERTHS	() () / + () () OPT	0 0 / + 0 0 0 OPT	() () / + () () OPT	() () / + () () () OPT
Length Width Height (cm)	596 / 232 / 290	698 / 232 / 290	698 / 232 / 290	741 / 232 / 290
Headroom in living area (cm)	210	210	210	210
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2661 (2528 to 2794)*	2831 (2689 to 2973)*	2818 (2677 to 2959)*	2901 (2756 to 3046)*
Manufacturer-specified mass for optional equipment (kg)*	490	308	324	235
Technically permissible maximum laden mass (kg) *	3500	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	345	380	380	404
Lying area Alcove / pull-down bed / Clever-lift bed (cm)	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}
Bed dimension middle L x B (cm)		210 x 58 OPT		210 x 65 OPT
Bed dimension rear L x B (cm)	200 x 135 - 115	200 x 80 190 x 80 210 x 162 ^{OPT}	190 x 80 200 x 80 210 x 159 ^{OPT}	210 x 80 215 x 80 210 x 168 ^{OPT}
Refrigerator volume incl. freezer (I)	78 (11)	137 (15)	78 (11) 156 (29) ^{OPT}	78 (11) 156 (29) ^{OPT}
Heating type	Combi 4 Gas	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 201)	122 / 201)	122 / 201)	122 / 201)
Waste water tank (I)	92	92	92	92
Sockets 230 V	5	4	4	5
Sockets: USB	4	4	4	4
Inner dimensions storage locker right/left W x H (cm)	65 x 65	95 x 110 75 x 80 ^{OPT}	95 x 110 75 x 80 ^{OPT}	95 x 110 75 x 80 ^{OPT}
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



PT Optional

andard equipment

- Not possible

 $\boldsymbol{\Delta}$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.



TYPE / MODEL	T448	T457	T459
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	() () () () / + () OPT	0000	0000
BERTHS	0 0 / + 0 0 0 OPT	() () / + () () () OPT	() () / + () () () OPT
Length Width Height (cm)	731 / 232 / 290	741 / 232 / 290	741 / 232 / 290
Headroom in living area (cm)	210	210	210
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2879 (2735 to 3023)*	2911 (2765 to 3057)*	2906 (2761 to 3051)*
Manufacturer-specified mass for optional equipment (kg)*	264	231	235
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	404	404	404
Lying area Alcove / pull-down bed / Clever-lift bed (cm)	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}
Bed dimension middle L x B (cm)	210 x 100 OPT	210 x 93 OPT	210 x 93 OPT
Bed dimension rear L x B (cm)	205 x 80 210 x 80 210 x 168 ^{OPT}	2x 200 x 80 210 x 168 ^{OPT}	195 x 150
Refrigerator volume incl. freezer (I)	78 (11) 156 (29) ^{OPT}	78 (11) 156 (29) ^{OPT}	78 (11) 156 (29) ^{OPT}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 201)	122 / 201)	122 / 201)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{OPT}	95 x 110 75 x 80 ^{OPT}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



PT Optional

Standard equipment

- Not possible

 $f\Delta$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



- Citroën Jumper 3.500 kg | 2.2
 BlueHDi | 103 kW | 140 BHP Euro 6 |
 6-speed manual gearbox
- Chassis colour Icy-white
- Wide-track chassis
- Front wheel drive
- Daytime running lights | integrated in headlights
- · Headlights with black frame
- ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- Cruise control
- Driver and Passanger airbag
- Traction+ incl. Hill Descent Control
- Start & stop function incl. charge booster
- Multifunction steering wheel
- USB socket (A+C)
- Electric operated cab windows and central locking
- Fix & Go breakdown kit
- Central cup holder
- Comfortable driving experience with rear and front axle stabilizers
- Manual cab air conditioning
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- 15" steel rims
- Tyres M+S Camping (snowflake)
- Electric and heated mirrors
- Radio aerial integrated in mirror
- Radio pre-wiring including speakers
- Captain chairs with covers
- Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seats swivel
- Height and tilt adjustable driver and front passenger seats
- Driver and passenger seat with lumbar support
- 60 I fuel tank

EXTERIOR SETUP

- 7-year water ingress warranty 2)
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside



- Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- L-shape lounge with free-standing and rotating table ²⁵⁾
- Table extension ²⁶⁾
- High-quality mattress in all beds
- Removable and washable mattress cover
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'



INSTALLATIONS

- LED lighting integrated above the roof cabinets
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- · LED Interior light
- Mirror and coat hooks
- USB Socket 3x A / 1x C (layout depending)
- Fresh water tank capacity total 122 | waste water tank 92 |



HEATING / GAS SUPPLY

- Gas heating Combi 6 ²⁷⁾
- Gas heating Combi 4 ²⁸⁾
- Gas control valves easily accessible and centrally arranged
- Gas bottle locker for 2 x 11 kg gas bottles



EQUIPEMENT KITCHEN

- Ergonomically arranged kitchen with spacious work top
- · Large soft-close drawer in kitchen
- 2 burner hob and glass lid
- Large stainless steel circular sink with cover
- Fridge 78 I with 11 I freezer compartment ²⁹⁾
- Fridge 137 I with freezer compartment 15 I ³⁰⁾
- LED light band
- Waste bin
- Flexible railing system with 2 hooks



- Vario-bathroom ³²⁾
 Spacious bathroom with separate shower on the opposite side ³³⁾
- Bathroom with bench toilet and integrated shower cubicle ²⁸⁾
- Swivel cassette toilet with electric flush ²⁷⁾
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- · Clothes rail in bathroom
- Flexible railing system with two hooks ³⁴⁾



SOFT FURNISHING

Soft furnishing in White

PACKS

PRO+ PACK T135 + 86 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
Artense Grey metallic	
Folding cab blinds	
Cab sunroof	
Insulated waste water tank	
Awning 3.5 m	
Framed windows	
High-level rear light cluster	
Pro+ decals	

PRO+ PACK T328 + 90.3 kg*

FROT FACK 1320 + 90.3 kg*	
Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
Artense Grey metallic	
Folding cab blinds	
Cab sunroof	
Insulated waste water tank	
Awning 4 m	
Framed windows	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
Pro+ decals	

* INF

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO+ PACK T338 + 103.3 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Basic Pack	
Artense Grey metallic	
Folding cab blinds	
Cab sunroof	
Large 156 I fridge with separate 29 I freezer compartment	
Insulated waste water tank	
Awning 4 m	
Framed windows	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
Pro+ decals	

PRO+ PACK T447 & T448 & T457 + 107.3 kg*

Optic Pack 1 Painted bumpers	
Optic Pack 2 Alloy wheels	
Artense Grey metallic	
Basic Pack	
Folding cab blinds	
Cab sunroof	
Large 156 I fridge with separate 29 I freezer compartment	
Insulated waste water tank	
Awning 4.5 m	
Framed windows	
High-level rear light cluster	
2nd external storage door (size depends on layout)	
Pro+ decals	

 $\boldsymbol{\Delta}$ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO+ PACK T459 + 104.3 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Artense Grey metallic

Basic Pack

Folding cab blinds

Cab sunroof

Large 156 I fridge with separate 29 I freezer compartment

Insulated waste water tank

Awning 4.5 m

Framed windows

High-level rear light cluster

Pro+ decals

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40

Flyscreen door (one-piece)

Comfort entrance door

Bridge Light

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter

Wireless smartphone charging

10" radio and navigation system (DAB+)

7" digital TFT color display

Rear view camera without grid lines

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper Black glossy skid plate Fog lights

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim Instrument panel with applications (Techno-Trim) 16" alloy wheels two-colour

SAFETY PACK INCL. ACC 22) + 0 kg*

Automatic braking system with pedestrian detection Rain and light sensor Lane assist Traffic sign recognition Fatigue detection Intelligent speed detection Adaptive cruise control >30 km/h

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication

OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	T135	T328	T338	T447	T448	T457	T459
PACKS								
pro+ Pack T135	86 kg	0	-	-	-	-	-	-
pro+ Pack T328	90.3 kg	-	0	-	-	-	-	_
pro+ Pack T338	103.3 kg	-	-	0	-	-	-	-
pro+ Pack T447 & T448 & T457	107.3 kg	-	_	_	0	0	0	_
pro+ Pack T459	104.3 kg	-	-	-	-	-	-	0
Basic Pack	14.3 kg	0	0	0	0	0	0	0
Digital Pack	4 kg	0	0	0	0	0	0	0
Optic Pack 1 Painted bumpers	3 kg	0	0	0	0	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0	0	0	0	0
Safety Pack incl. ACC ²²⁾	0 kg	0	0	0	0	0	0	0
CHASSIS / BASE VEHICLE								
Citroën Jumper 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	0	0	0	0	0	0	0
Citroën Jumper 3.500 kg 2.2 BlueHDi 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	-	0	0	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 6-speed manual gearbox	0 kg	0	0	0	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{4)}$	60 kg	0	0	0	0	0	0	0
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{4)}$	60 kg	-	0	0	0	0	0	0
90 I fuel tank	23 kg	0	0	0	0	0	0	0
Fully LED headlights incl. wiping indicators and LED daytime running lights	0 kg	0	0	0	0	0	0	0
Tyre pressure indicator	0 kg	0	0	0	0	0	0	0



Electric parking brake

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

■ Available in package Standard equipment

Optional equipment

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

-9.4 kg



EXTERIOR SETUP

High-level rear light cluster	4 kg
Framed windows	5 kg
Insulated waste water tank	8 kg
Cab sunroof	7 kg
2nd external storage door (size depends on layout)	3 kg
Two rear corner steadies	6 kg
Bike rack for 3 bikes	12.5 kg

0	0	0	0	0	0	0
				0		
0				0	0	
-				0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0

COMFORT

Bed conversion single to double bed	5 kg
Bed conversion for seating area	5 kg
Pull-down bed with Clima-Plux elements	44 kg
5th seat on side bench with seat belt * ³⁵⁾	15 kg
Wooden duckboard for the shower tray	2 kg
Carpet	5 kg
Folding cab blinds	8 kg

-	0	0	0	0	0	-
-	0	-	0	0	0	0
0	0	0	0	0	0	0
-	0	-	0	0	-	-
0	0	0	0	0	0	0
0	0	0	0	0	0	0
						0

₫.

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

□ Available in package

Standard equipment

Optional equipment

▲ Mandator

- Not no

t possible

Δ Not known at the time of publication

Notes from page 88



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



INSTALLATIONS

Large 156 I fridge with separate 29 I freezer compartment	13 kg
Oven in kitchen (only in conjunction with 156 I fridge)	12 kg
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for solar panel	2 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg
Mobile internet (WiFi LTE antenna incl. router)	1.42 kg
Solar system 100 watt incl. MPPT controller	7.3 ka



SOFT FURNISHING

Soft furnishing in Brown	0 kg
Soft furnishing in Grey	0 kg



OTHERS

Registration documents	0 kg

-	-	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0
-	0	0	0	0	0	0
0	-	-	-	-	-	-
0	0	0	0	0	0	0
0	0	0	0	0	0	0
0	0	0	0	0	0	0

A	A	A	A	A	A	

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

□ Available in package

Standard equipment

Optional equipment

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



TYPE / MODEL	T338 ED26	T447 ED26	T449 ED26
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0 0 0	() () () () / + () OPT	() () () () / + () OPT
BERTHS	() () / + () () OPT	() () / + () () () OPT	() () / + () () () OPT
Length Width Height (cm)	699 / 232 / 293	739 / 232 / 293	739 / 232 / 293
Headroom in living area (cm)	210	210	210
Chassis	Ford Transit	Ford Transit	Ford Transit
Standard engine	2,01 TDCi	2,0l TDCi	2,0I TDCi
kW (BHP)	96 (130)	96 (130)	96 (130)
Mass in running order (kg)*	2944 (2797 to 3091)*	2994 (2844 to 3144)*	3001 (2851 to 3151)*
Manufacturer-specified mass for optional equipment (kg)*	202	152	144
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	235/65 R 16	235/65 R 16	235/65 R 16
Wheelbase (cm)	375	395	395
Lying area Alcove / pull-down bed / Clever-lift bed (cm)	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}	195 x 140 - 110 ^{OPT}
Bed dimension middle L x B (cm)		210 x 50 OPT	210 x 50 OPT
Bed dimension rear L x B (cm)	192 x 80 200 x 80 210 x 153 ^{OPT}	205 x 80 212 x 80 210 x 168 ^{OPT}	195 x 150
Refrigerator volume incl. freezer (I)	156 (29) 156 (29)	156 (29) 156 (29)	156 (29) 156 (29)
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 201)	122 / 201)	122 / 201)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	75 x 110 75 x 80	95 x 110 75 x 80	105 x 90 105 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



OPT Optional

Standard equipment

- Not possible

 $f\Delta$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



• EDITION26 Pack



HIGHLIGHTS EDITION26

- Soft furnishing in Grey
- Edition graphics
- · Cab sunroof
- Awning (Length depends on layout)
- Insulated waste water tank
- 2nd external storage door (size depends on layout)
- · High-level rear light cluster
- Framed windows
- Folding cab blinds
- Large 156 | fridge with separate 29 | freezer compartment
- · Chassis colour Frozen White
- 16" alloy wheels (Black)
- Chassis Pack
- Basic Pack

CHASSIS / **BASE VEHICLE**

- Ford Transit 3.500 kg | 2,01 TDCi | 96 kW (130 BHP) | Euro 6 | 6-speed manual gearbox
- · Wide-track chassis
- · Front wheel drive
- · Headlights with daytime running liahts
- Cruise control
- Driver and passanger airbag
- ABS (anti-lock braking system) | ESC (electronic stability program) | TBC (traction control) | EBD (electronic brake force distribution)
- Hill start assist (crosswind assist | safety brake assist | rollover protection)
- Tyre pressure indicator
- Start & Stop function incl. charge booster
- · Electric cab windows
- · Central locking cab with remote control
- Radiator grille chrome
- Electric parking brake
- · Front parking assistance
- 12" display incl. Apple Car Play & Android Car | four front speakers | DAB antenna | Bluetooth interface | USB port | hands-free system
- · Leather steering wheel
- · Cup holder driver and passenger side
- Tablet holder and USB socket
- Pre-collision assist
- · Lane departure warning
- Intelligent speed detection
- Fatigue warning
- · Automatic high beam control
- · Disc brakes | rear and front wheel stabilisers | heat convection | tachometer | power steering | heightadjustable headlights | immobiliser | lap and diagonal seat belts
- · Electric and heated mirrors
- · Comfort swivel seats for driver and front passenger, each with 2 armrests and lumbar support
- · Height and tilt adjustment for driver and passenger seat
- · Driver and passenger seats in matching colours
- Fix & Go breakdown kit
- · Rear view camera
- 70 I fuel tank
- Painted bumper



EXTERIOR SETUP

- 7-year water ingress warranty 2)
- GRP (glass fibre reinforced plastic) roof and rear wall
- · Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- · Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside



COMFORT

- Ergonomically shaped upholstery for improved seating comfort
- · Isofix for 2 seats
- Table extension
- · High-quality mattress in all beds
- Removable and washable mattress cover
- · Wooden slatted frame in all fixedbeds for better sleeping comfort
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand
- Floor in 'Calais'



INSTALLATIONS

- LED lighting integrated above the roof cabinets
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with
- safety device • Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- Mirror and coat hooks
- USB Socket 3x A / 1x C (layout depending)
- Fresh water tank capacity total 122 | waste water tank 92 l



HEATING / **GAS SUPPLY**

- and centrally arranged



EQUIPEMENT KITCHEN

- Gas heating Combi 6
- · Gas control valves easily accessible
- · Gas bottle locker for 2 x 11 kg gas bottles



- Ergonomically arranged kitchen with spacious work top
- Large soft-close drawer in kitchen
- 2 burner hob and glass lid
- Large stainless steel circular sink with cover
- LED light band
- Waste bin
- Flexible railing system with 2 hooks
- Large 156 I fridge with separate 29 I freezer compartment



BATHROOM EQUIPMENT

- Vario-bathroom ³²⁾
- Spacious bathroom with separate shower on the opposite side ³³⁾
- · Swivel cassette toilet with electric flush
- · Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- · Clothes rail in bathroom
- Flexible railing system with two hooks 34)

63





EXTERIOR COLOUR

· Soft furnishing in Grey Chassis colour Frozen White

PACKS

ASSISTANCE PACK + 2.6 kg*

Traffic sign recognition	
Adaptive cruise control	
Navigation	

EDITION26 PACK + 110 ka*

+ Ho kg	
Soft furnishing in Grey	
Edition graphics	
Cab sunroof	
Awning (Length depends on layout)	
Insulated waste water tank	
2nd external storage door (size depends on layout)	
High-level rear light cluster	
Framed windows	
Folding cab blinds	
Large 156 fridge with separate 29 freezer compartment	
Chassis colour Frozen White	
16" alloy wheels (Black)	
Basic Pack	
Chassis Pack	

INCLUDED AS STANDARD

CHASSIS PACK + 13 kg*

Manual cab air conditioning

Fog lights

Painted bumper

Headlights with static cornering light

INCLUDED AS STANDARD

BASIC PACK + 14.3 kg*

DAGIO I AGN + 14.3 kg	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40	
Flyscreen door (one-piece)	
Comfort entrance door	
Bridge Light	

INCLUDED AS STANDARD

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	T338 ED26	T447 ED26	T449 ED26
PACKS				
Assistance Pack	2.6 kg	0	0	0
CHASSIS / BASE VEHICLE				
Ford Transit 3.500 kg 2,0l TDCi 122 kW (165 BHP) Euro 6 6-speed manual gearbox	0 kg	ο	٥	0
Ford Transit 3.500 kg 2,0l TDCi 122 kW (165 BHP) Euro 6 8-speed automatic gearbox	55 kg	0	0	0
Bi-xenon headlights with static cornering lights and LED daytime running lights	0.2 kg	0	٥	0
Electrical preparation for trailer coupling	0 kg	0	0	0
INCREASE OF LOAD CAPACITY				
Ford Transit Maxi Chassis 4.100 kg 2,0l TDCi 122 kW (165 BHP) Euro 6 8-speed automatic gearbox* $^{\rm 36)}$	58.5 kg	0	0	0
EXTERIOR SETUP				
Two rear corner steadies	6 kg	0	0	0
Bike rack for 3 bikes	12.5 kg	0	0	0

* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

■ Available in package

Standard equipment

Optional equipment

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



COMFORT

5th seat on side bench with seat belt * 35)	15 kg
Carpet	5 kg
Pull-down bed with Clima-Plux elements	44 kg
Wooden duckboard for the shower tray	2 kg
Bed conversion for seating area	5 kg
Bed conversion single to double bed	5 kg

-	0	0
0	0	0
0	0	0
o	0	0
-	0	0
0	0	-

-,Ö(

INSTALLATIONS

Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg
Pre-cabling for solar panel	2 kg
Oven in kitchen	12 kg
Mobile internet (WiFi LTE antenna incl. router)	1.42 kg
Solar system 100 watt incl. MPPT controller	7.3 kg

0	0	o
0	0	0
0	0	o
0	0	0
0	0	o
0	0	0
0	0	0
0	0	0
0	0	o



EXTERIOR COLOUR

5 kg

0	٥	0



OTHERS

Registration documents	0 kg

A	A	A

Optional equipment

₫.

\$ INITO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

♣ * INFO

□ Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

Standard equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication



TYPE / MODEL	I338	1447	1449
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	0 0 0 0 / + 0 OPT	0 0 0 0 / + 0 OPT
BERTHS	0 0 0	0 0 0 0 / + 0 OPT	0 0 0 0 / + 0 OPT
Length Width Height (cm)	699 / 232 / 290	743 / 232 / 290	743 / 232 / 290
Headroom in living area (cm)	210	210	210
Chassis	Fiat Ducato	Fiat Ducato	Fiat Ducato
Standard engine	2.2 Multijet	2.2 Multijet	2.2 Multijet
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2887 (2743 to 3031)*	2976 (2827 to 3125)*	2975 (2826 to 3124)*
Manufacturer-specified mass for optional equipment (kg)*	263	166	169
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	215/70 R 15 CP	215/70 R 15 CP	215/70 R 15 CP
Wheelbase (cm)	380	404	404
Lying area Alcove / pull-down bed / Clever-lift bed (cm)	200 x 150	200 x 150	200 x 150
Bed dimension middle L x B (cm)		210 x 65 OPT	210 x 65 ^{OPT}
Bed dimension rear L x B (cm)	190 x 80 200 x 80 210 x 159 ^{ОРТ}	210 x 80 215 x 80 210 x 168 ^{OPT}	195 x 150
Refrigerator volume incl. freezer (I)	78 (11) 156 (29) ^{OPT}	78 (11) 156 (29) ^{OPT}	78 (11) 156 (29) ^{OPT}
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 201)	122 / 201)	122 / 201)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	4	4
Inner dimensions storage locker right/left W x H (cm)	95 x 110 75 x 80 ^{OPT}	95 x 110 75 x 80 ^{орт}	105 x 90 65 x 90
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



OPT Optional

andard equipment

- Not possible

 $\boldsymbol{\Delta}$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



- Fiat Ducato 3.500 kg | 2.2 Multijet | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- Wide-track chassis
- Front wheel drive
- Cruise control
- Driver airbag
- Passenger airbag
- ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- Traction+ incl. hill descent assistant
- Start & Stop function incl. charge booster
- Low vibration, electrical and heated cab mirrors in coach optic with wide angle
- Panoramic laminated glass windshield all-round
- Fix & Go breakdown kit
- Central cup holder
- Manual cab air conditioning
- Multifunction steering wheel
- USB socket (A+C)
- Comfortable driving experience with rear and front axle stabilizers
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- 15" steel rims
- Tyres M+S Camping (snowflake)
- Pilot seats with covers
- Driver and passenger seat with lumbar support
- Driver and passenger seats swivel on Low Profile A-Class models and Overcab A132
- 60 I fuel tank
- Height and tilt adjustable driver and front passenger seats
- Headlamp trim in grey
- Full LED front lighting (daytime running light, low beam, high beam and turn signal)
- Daytime running lights integrated in headlights
- Driver's cab door left
- Radio pre-wiring with loudspeakers and antenna



- 7-year water ingress warranty 2)
- GRP (glass fibre reinforced plastic) roof and rear wall
- Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- Rear light carrier in three parts with integrated LED multifunction lights
- Cab blinds for best insulation and privacy shield
- Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- Roof light with frosted perspex glass and flyscreen
- Coupé entrance
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- High quality entrance door with ergonomic handle inside and outside



- Ergonomically shaped upholstery for improved seating comfort
- Isofix for 2 seats
- L-shape lounge with free-standing and rotating table ²⁵⁾
- Table extension ²⁶⁾
- High-quality mattress in all beds
- Removable and washable mattress
- Wooden slatted frame in all fixedbeds for better sleeping comfort
- Pull-down bed with Clima-Plux elements
- Spacious storage compartments and storage options
- Ventilation for storage locker and seat backrest
- Furniture in 'Visby Oak' and 'Sand grey'
- Floor in 'Calais'



INSTALLATIONS

- LED lighting integrated above the roof cabinets
- High-performance, maintenance-free leisure battery (95 Ah AGM)
- On-board control panel supplies information about filling levels and battery capacity
- Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- Mirror and coat hooks
- USB Socket 3x A / 1x C (layout depending)
- Fresh water tank capacity total 122 | waste water tank 92 |



HEATING / GAS SUPPLY

- Gas bottle locker for 2 x 11 kg gas bottles
- Gas heating Combi 6
- Gas control valves easily accessible and centrally arranged



EQUIPEMENT KITCHEN

- Ergonomically arranged kitchen with spacious work top
- Large soft-close drawer in kitchen
- 2 burner hob and glass lid
- Large stainless steel circular sink with cover
- LED light band
- Waste bin
- Flexible railing system with 2 hooks
- Fridge 78 I with 11 I freezer compartment



BATHROOM EQUIPMENT

- Spacious bathroom with separate shower on the opposite side ³³⁾
- Vario-bathroom 32)
- Swivel cassette toilet with electric flush ²⁷⁾
- Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- Clothes rail in bathroom
- Flexible railing system with two hooks ³⁴⁾



SOFT FURNISHING

Soft furnishing in White

PACKS

PRO+ PACK 1338 + 89.3 kg*

Basic Pack
Optic Pack 2 | Alloy wheels
Large 156 | fridge with separate 29 | freezer compartment
Insulated waste water tank
Framed windows
Awning 4.5 m
High-level rear light cluster
2nd external storage door (size depends on layout)
Pro+ decals

PRO+ PACK 1447 + 93.3 kg*

Basic Pack

Optic Pack 2 | Alloy wheels

Large 156 | fridge with separate 29 | freezer compartment

Insulated waste water tank

Framed windows

Awning 5 m

High-level rear light cluster

2nd external storage door (size depends on layout)

Pro+ decals



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

PRO+ PACK 1449 + 90.3 kg*

Optic Pack 2 Alloy wheels	
Basic Pack	
Large 156 I fridge with separate 29 I freezer compartment	
Insulated waste water tank	
Framed windows	
Awning 5 m	
High-level rear light cluster	
Pro+ decals	

BASIC PACK + 14.3 kg*

DAGIO I AOK + 14.5 kg*	
Panoramic roof light 70 x 50 cm	
Clear glass roof light 40 x 40	
Flyscreen door (one-piece)	
Comfort entrance door	
Bridge Light	

DIGITAL PACK + 4 kg*

Automatic cab air conditioning with pollen filter	
Wireless smartphone charging	
10" radio und navigation system (DAB+)	
7" digital TFT color display	
Rear view camera without grid lines	

OPTIC PACK 2 | ALLOY WHEELS +8 kg*

Leather steering wheel and gear knob in leather trim	
Instrument panel with applications (Techno-Trim)	
16" alloy wheels two-colour	

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	l338	1447	I44 9
PACKS				
pro+ Pack I338	89.3 kg	0	-	-
pro+ Pack I447	93.3 kg	-	0	-
pro+ Pack I449	90.3 kg	-	-	0
Basic Pack	14.3 kg	0	0	0
Digital Pack	4 kg	0	0	0
Optic Pack 2 Alloy wheels	8 kg	0	0	0
CHASSIS / BASE VEHICLE				
Fiat Ducato 3.500 kg 2.2 Multijet 103 kW 140 BHP Euro 6 8-speed automatic gearbox $^{\rm 4)}$	60 kg	O	٥	0
Fiat Ducato 3.500 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox $^{4)}$	60 kg	0	٥	0
90 I fuel tank	23 kg	0	0	0
Electric parking brake	-9.4 kg	0	0	0
Tyre pressure indicator	0 kg	0	0	0
INCREASE OF LOAD CAPACITY				
Fiat Ducato Maxi Chassis 4.400 kg 2.2 Multijet 132 kW 180 BHP Euro 6 8-speed automatic gearbox*	60 kg	0	0	0
Weight increase to 3.650 kg (no chassis modification) *	0 kg	0	0	0
EXTERIOR SETUP				
High-level rear light cluster	4 kg		0	
Framed windows	5 kg			
Insulated waste water tank	8 kg		в	0
2nd external storage door (size depends on layout)	3 kg			•
Two rear corner steadies	6 kg	0	0	0
Bike rack for 3 bikes	12.5 kg	0	0	0

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional available for factory-fitted optional equipment. Detailed information weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

and explanations on the subject of weight can be found in the Legal



■ Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

● Standard equipment ○ Optional equipment ▲ Mandatory

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication



COMEOR

Bed conversion single to double bed	5 kg	0
Bed conversion for seating area ³⁷⁾	5 kg	-
5th seat on side bench with seat belt * ³⁵⁾	15 kg	-
Wooden duckboard for the shower tray	2 kg	0
Carpet	5 kg	0

0	0	-
-	0	0
-	0	0
0	0	0
0	0	0

-<u>O</u>

INSTALLATIONS

Large 156 I fridge with separate 29 I freezer compartment	13 kg
Oven in kitchen (only in conjunction with 156 I fridge)	12 kg
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg
Second AGM leisure battery 95 Ah	27 kg
Pre-cabling for solar panel	2 kg
Pre-cabling for reversing camera	1 kg
12V TV pre-cabling incl. flat screen holder	3 kg
Heating Combi 6 E (with el. heating element) digital control panel	2 kg
Electric floor heating in living area	6 kg
Mobile internet (WiFi LTE antenna incl. router)	1.42 kg
Solar system 100 watt incl. MPPT controller	7.3 kg

0 0	
0 0	
0 0	
0 0	
0 0	
0 0	



SOFT FURNISHING

t furnishing in Brown	0 kg
t furnishing in Grey	0 kg

0	0	0
0	0	0



OTHERS

Registration documents	0 kg
------------------------	------

Optional equipment



* INFO

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.



□ Available in package

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

Standard equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

△ Not known at the time of publication



TYPE / MODEL	A132 PRO	A361 PRO	A464 PRO
PERMITTED NUMBER OF SEATS (INCLUDING DRIVER)*	0000	00000	00000
BERTHS	0 0 0	000000000000000000000000000000000000000	000000000000000000000000000000000000000
Length Width Height (cm)	596 / 232 / 314	661 / 232 / 314	726 / 232 / 314
Headroom in living area (cm)	195	195	195
Chassis	Citroën Jumper	Citroën Jumper	Citroën Jumper
Standard engine	2.2 Blue HDi	2.2 Blue HDi	2.2 Blue HDi
kW (BHP)	103 (140)	103 (140)	103 (140)
Mass in running order (kg)*	2827 (2686 to 2968)*	2927 (2781 to 3073)*	3000 (2850 to 3150)*
Manufacturer-specified mass for optional equipment (kg)*	249	60	69
Technically permissible maximum laden mass (kg) *	3500	3500	3500
Trailer load braked (unbraked) (kg)	2000 (750)	2000 (750)	2000 (750)
Tire size	225/75 R 16 C	225/75 R 16 C	225/75 R 16 C
Wheelbase (cm)	345	380	404
Lying area Alcove / pull-down bed / Clever-lift bed (cm)	210 x 160	210 x 160	210 x 160
Bed dimension middle L x B (cm)		175 x 100	185 x 100
Bed dimension rear L x B (cm)	210 x 140 - 130	210 x 85 205 x 80	210 x 150 - 135
Refrigerator volume incl. freezer (I)	78 (11)	156 (29) 156 (29)	156 (29) 156 (29)
Heating type	Combi 6 Gas	Combi 6 Gas	Combi 6 Gas
Fresh water tank capacity total / at driving filling (I)	122 / 201)	122 / 201)	122 / 201)
Waste water tank (I)	92	92	92
Sockets 230 V	4	5	5
Sockets: USB	4	2	4
Inner dimensions storage locker right/left W x H (cm)	65 x 110 45 x 70	65 x 120 60 x 100	105 x 120 105 x 80
Gas bottle storage (filling weight in kg)	2 x 11	2 x 11	2 x 11

Configure your dream vehicle



OPT Optional

Standard equipment

- Not possible

 $f\Delta$ Not known at the time of publication



The specified mass in running order is a default value defined in the type-approval procedure. Due to manufacturing tolerances, the actual weighed mass in running order may deviate from the value stated above. Deviations of up to ± 5 % of the mass in running order are legally permissible and possible. The permissible range in kilograms is given in brackets after the mass in running order. The manufacturer-specified mass for optional equipment is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado. The real weight of your vehicle ex works can only be determined when it is weighed at the

end of the line. If, in exceptional cases, the weighing shows that the actual load capacity falls below theminimum pay-mass despite limiting the optional equipment due to a permissible weight deviation, we will check together with your trade partner and you whether we should, for example, increase the load capacity of the vehicle, reduce the number of seats or remove optional equipment before delivering the vehicle. The technically permissible maximum laden mass of the vehicle and the technically permissible maximum mass on the axle must not be exceeded. Detailed information & explanations on the subject of weight and the configuration of the vehicle can be found in the section Legal information. For a more detailed description of all mandatory technical dependencies, please refer to the explanations on the footnotes.

STANDARD EQUIPMENT



• pro pack A132

- pro pack A361 & A464
- Basic Pack
- Optic Pack 1 | Painted bumpers
- Optic Pack 2 | Alloy wheels

CHASSIS / **BASE VEHICLE**

- Citroën Jumper 3.500 kg | 2.2 BlueHDi | 103 kW | 140 BHP Euro 6 | 6-speed manual gearbox
- Chassis colour lcy-white
- Wide-track chassis
- · Front wheel drive
- Daytime running lights | integrated in headlights
- · Headlights with black frame
- Cruise control
- Driver and Passanger airbag
- · ABS, EBD (electronic brake force distribution), ESP (electronic stability program)
- ESC (electronic stability control) including ASR (anti-skid control), hill holder (hill start assist), CWA (crosswind assist), trailer stability control and PCB (post-collision braking)
- Traction+ incl. Hill Descent Control
- Start & stop function incl. charge booster
- Multifunction steering wheel
- USB socket (A+C)
- Electric operated cab windows and central locking
- · Central cup holder
- · Comfortable driving experience with rear and front axle stabilizers
- Fix & Go breakdown kit
- · Manual cab air conditioning
- Disc brakes | heat convection | tachometer | power steering | immobiliser | 3-point seat belt
- Tyres M+S Camping (snowflake)
- Electric and heated mirrors
- · Radio aerial integrated in mirror
- · Radio pre-wiring including speakers
- Captain chairs with covers
- · Driver and passenger seats with armrests & upholstered covers
- Driver and passenger seats swivel on low profile A-Class models and overcab A132
- Driver and passenger seat with lumbar support
- · Height and tilt adjustable driver and front passenger seats
- 60 I fuel tank



- 7-year water ingress warranty 2)
- GRP (glass fibre reinforced plastic) roof and rear wall
- · Aluminium sidewalls
- Roof and sidewall thickness 34 mm | floor thickness 42,5 mm
- · Rear light carrier in three parts with integrated LED multifunction lights
- · Double glazed hinged window with cassette blinds and flyscreens (except for bathroom)
- · Roof light with frosted perspex glass and flyscreen
- Electric entrance step
- Large rear garage with lowered frame | lashing rings and interior lighting (depending on model)
- Splash water seals for the exterior storage locker and doors
- Payload in garage up to 150 kg
- · High quality entrance door with ergonomic handle inside and outside
- 2nd external storage door (size depends on layout) 38)



Isofix for 2 seats

cover

• Table extension ²⁶⁾

access to the cab

storage options

seat backrest

• Floor in 'Calais'

grey'

(depending on model)

on vehicle weight) * 39)

· Ergonomically shaped upholstery for

improved seating comfort

· High-quality mattress in all beds

· Removable and washable mattress

· Wooden slatted frame in all fixed-

beds for better sleeping comfort

• Overcab with side window on the

headroom and 210 x 160 cm bed size

• Sliding overcab bed for an improved

• Spacious storage compartments and

• Ventilation for storage locker and

• Safety Pack: 2 headrests and 2 lap

• Furniture in 'Visby Oak' and 'Sand

· Bed conversion for seating area

belts on bench against direction of

travel (Persons permitted depending

• Safety net on overcab beds, bunk

beds and on pull-down beds

right | hot air nozzles | 72 cm

COMFORT



- · LED lighting integrated above the roof cabinets
- High-performance, maintenance-free
- leisure battery (95 Ah AGM) • On-board control panel supplies
- information about filling levels and battery capacity
- · Automatic switching and separating systems for starter and leisure battery as well as for refrigerator
- · Electric charger for leisure and vehicle battery 12 V / 18 A
- CEE 230 V external socket with safety device
- Residual Current Device (RCD)
- LED-Awning light
- LED Interior light
- USB Socket 3x A / 1x C (layout depending)
- · Mirror and coat hooks
- Fresh water tank capacity total 122 | waste water tank 92 l
- Large 156 I fridge with separate 29 I freezer compartment



HEATING / **GAS SUPPLY**

- Gas bottle locker for 2 x 11 kg gas bottles
- Gas heating Combi 6
- Gas control valves easily accessible and centrally arranged



- · Ergonomically arranged kitchen with spacious work top
- Large soft-close drawer in kitchen
- 2 burner hob and glass lid
- · Large stainless steel circular sink with cover
- Fridge 78 I with 11 I freezer compartment
- Large 156 I fridge with separate 29 I freezer compartment 39)
- · LED light band
- · Waste bin
- · Flexible railing system with 2 hooks



- Bathroom with separate shower ³⁹⁾
- Vario-bathroom ³²⁾
- Swivel cassette toilet with electric flush
- · Roof vent with integrated flyscreen blind (depending on model)
- Large mirrors
- · Clothes rail in bathroom



SOFT FURNISHING

• Soft furnishing in Brown

PACKS

PRO PACK A132 + 28.3 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

2nd external storage door (size depends on layout)

Pro decals

INCLUDED AS STANDARD

PRO PACK A361 & A464 + 47.3 kg*

Optic Pack 1 | Painted bumpers

Optic Pack 2 | Alloy wheels

Basic Pack

2nd external storage door (size depends on layout)

Safety Pack: 2 headrests and 2 lap belts on bench against direction of travel (Persons permitted depending on vehicle weight) *

Large 156 I fridge with separate 29 I freezer compartment

Pro decals

INCLUDED AS STANDARD

BASIC PACK + 14.3 kg*

Panoramic roof light 70 x 50 cm

Clear glass roof light 40 x 40

Flyscreen door (one-piece)

Comfort entrance door

Bridge Light

INCLUDED AS STANDARD



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIC PACK 1 | PAINTED BUMPERS + 3 kg*

Painted bumper

Black glossy skid plate

Fog lights

INCLUDED AS STANDARD

OPTIC PACK 2 | ALLOY WHEELS + 8 kg*

Leather steering wheel and gear knob in leather trim

Instrument panel with applications (Techno-Trim)

16" alloy wheels two-colour

INCLUDED AS STANDARD

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

OPTIONAL EQUIPMENT

OPTIONAL EXTRAS	ADDITIONAL WEIGHT*	A132 PRO	A361 PRO	A464 PRO
CHASSIS / BASE VEHICLE				
Citroën Jumper 3.500 kg 2.2 BlueHDi 103 kW 140 BHP Euro 6 8-speed automatic gearbox	60 kg	0	0	0
90 I fuel tank	23 kg	0	0	0
Electric parking brake	-9.4 kg	0	0	o
INCREASE OF LOAD CAPACITY				
Weight increase to 3.650 kg (no chassis modification) *	0 kg	0	0	0
Citroën Jumper Maxi Chassis 4.400 kg 2.2 BlueHDi 132 kW 180 BHP Euro 6 8-speed automatic gearbox*	60 kg	-	-	0
Caramatic SafeDrive PLUS (two-bottle system with gas pressure regulator and crash sensor)	3.5 kg	0	0	0
Heating Combi 6 E (with el. heating element) digital control panel	2 kg	0	0	0
Pre-cabling for reversing camera	1 kg	0	0	0
OTHERS Registration documents	0 kg	_		_
Registration documents	0 kg	A	A	A

The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal

■ Available in package

Standard equipment

Optional equipment

△ Not known at the time of publication



The factory installation of optional equipment increases the actual mass of the vehicle and reduces the pay-mass. The additional weight indicated for packages and optional equipment shows the additional weight compared to the standard equipment of the respective model or layout. The total weight of the selected optional equipment must not exceed the manufacturer-specified mass for optional equipment

shown in the model overviews. This is a calculated value for each type and layout that Carado uses to determine the maximum weight available for factory-fitted optional equipment. Detailed information and explanations on the subject of weight can be found in the Legal information section.

NOTES

Technical data as of August 2025. validity from August 1, 2025

This brochure contains the series status at the time of printing. Despite checking the content, misprints cannot be ruled out. We reserve the right to make equipment changes or product improvements during the course of the model year. Before concluding the contract, please obtain information about the current product and series status from one of our authorized CARADO trading partners.

Some of the vehicles are shown with special equipment.

The information corresponds to the European homologation regulations; These can change up until the vehicle is purchased or delivered. Your CARADO trading partner will be happy to inform you about any changes and the standard scope of delivery.

The tightness guarantee conditions of Carado GmbH apply.

With the publication of this technical data, all previous price lists and brochures lose their validity.

The copyright lies with Carado GmbH.

When specifying technical data, possible printing errors and mistakes remain reserved.

FOOTNOTES

- 1 Before driving, please ensure that the fresh water tank does not contain more than 20 I
- 2 The water ingress warranty 22 Only in conjunction with conditions of Carado GmbH apply.
- 3 Shower equipment includes: extendable shower head, shower holder, shower curtain, guide rail.
- 4 Including 16" steel rims.
- 5 Shower equipment includes: extendable shower head. shower holder, shower curtain, guide rail. Swivel bath without shower curtain and guide rail.
- 6 Except CV541.
- 7 In CV541.
- 8 Except CV600 pro+ and CV640 pro+
- 9 Except CV540 and CV602.
- 10 Except CV541 and CV601.
- 11 CV601
- 13 Only in conjunction with automatic gearbox, Chassis Pack and Digital Pack.
- 14 In combination with Maxi Chassis the painted bumper and black skidplate are not available.
- 15 Not possible in conjunction with pre-cabling for solar panels or solar panels
- 16 When ordering the option "bed conversion for seating area", please note that it is not permitted to use the poptop roof and bed conversion in the seating area at the same time. This is to ensure that escape routes remain clear.
- 17 Combi 4 Diesel heating for CV541 and CV601 without digital control panel.
- 18 Not possible in conjunction with pop-top roof.

- 19 For CV540 not possible in conjunction with pop-top
- 20 In V347.
- 21 Except V347.
- Optic Pack 1 Painted bumpers and Optic Pack 2 Alloy wheels.
- 23 When ordering the option "bed conversion for seating area" on the V132, please note that the wardrobe in living room is replaced with a side seat incl. overhead locker.
- 24 When ordering the option "Clever-Lift bed" for the V347, please note that the overhead storage cabinet on the left side will be replaced by an open storage compartment, and overhead lockers and the window on the right-hand side in the living area are omitted.
- 25 For T447, I447, I449.
- 26 Except T447, T457, T459, 1447, 1449, A361, A464.
- 27 Except T135.

29 Except T328.

30 In T328.

- 12 CV600 pro+ and CV640 pro+ 28 In T135.
 - - 31 Except T338, T338 ED26, 1338.
 - 32 In A132, T328, T338, T338 ED26, T448 and I338.
 - 33 For T447 ED26, T449 ED26, T447, T457, T459, I447, I449.
 - 34 Except T338, T338ED26, T448, I338, A132, A361, A464.

- 35 When ordering the option "5th seat on side bench seat with seat belt", the storage compartment flap inside is omitted. An optional 5th seat must be taken into account when calculating the minimum payload and the mass of the passengers as a regular seat. In order for you to receive the 5th seat, it must be ensured that the minimum payload is still maintained and that all other legal mass values are complied with. Please feel free to contact our trade partners for detailed information.
- 36 For Maxi Chassis the Assistance Pack is included.
- 37 When ordering the option bed conversion of the seating area in the integrated unit the bed entrance is via the side bench.
- 38 Lower window will be omitted on A361.
- 39 A361, A464.

CONTACT

Carado GmbH Ölmühlestraße 6 88299 Leutkirch im Allgäu

Phone: +49 7561 9097 300 Fac: +49 7561 9097 400

info@carado.com www.carado.com

A company of the Erwin Hymer Group.

CARADO ORIGINAL ACCESSORIES* MORE COMFORT TO TRAVEL!!



Our Carado water filter clearliQ travel ensures hygienically pure water on the go reliable, odor and taste neutralizing, and easy to change the filter.

Our outdoor insulating mats offer optimal heat protection in winter and effective sun protection in summer - easy to apply and suitable for any vehicle with a Fiat chassis.

And with our practical cot you can create additional sleeping space in the Fiat vehicle: Easy to assemble, space-saving and with a load capacity of 50 kg ideal for children.

WATER FILTERS CLEARLIQ TRAVEL POWERED BY GRÜNBECK



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Water filter clearliQ travel powered by Grünbeck	Low Profile Fiat Coachbuilt	8502066	1,34 kg
Replacement cartridge single pack	Campervan Fiat Integrated Van	8502169	1 kg
Replacement cartridge double pack	Camper Van Ford Low Profile Ford	8502170	1kg (pro Cartridge)

OUTSIDE INSULATION MATS



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
External insulation	Integrated	8502181	4,1 kg
External insulation	Semi-integrated Camper vans Vans	3333946	3,1 kg



ARTICLE	SUITABLE FOR SERIES	ARTNR.	WEIGHT*
Cot	Vehicles with original		
Fiat variant	Fiat cab	3542687	10,5 kg

carado-original-zubehör.com/en







LEGAL INFORMATION

ON WEIGHT-RELATED INFORMATION

The weight specifications and tests for motorhomes are uniformly regulated throughout the EU in EU Implementing Regulation No. 2021/535 (until June 2022: EU Implementing Regulation No. 1230/2012). We have summarised and explained the key terms and legal requirements from this regulation for you below. Our dealers and the Carado configurator on our website offer you additional assistance in configuring your vehicle.

1. TECHNICALLY PERMISSIBLE MAXIMUM LADEN MASS

The technically permissible maximum laden mass of the vehicle (e.g. 3,500 kg) is a mass specification set by the manufacturer which the vehicle must not exceed. Information on the technically permissible maximum laden mass of the model you have chosen can be found in the technical data. If the vehicle exceeds the technically permissible maximum laden mass in everyday driving, this constitutes an administrative offence which may result in a fine.

2. MASS IN RUNNING ORDER

In simple terms, the mass in running order is the basic vehicle with standard equipment plus a legally fixed standard weight of 75 kg for the driver. This essentially includes the following items:

- the unladen weight of the vehicle together with the bodywork, including operating fluids such as greases, oils and coolants;
- the standard equipment, i.e. all equipment items that are included as standard in the factory-fitted scope of delivery;
- the fresh water tank filled to 100% in driving mode (driving fill according to manufacturer's specifications; 20 litres) and an aluminium gas cylinder filled to 100% with a weight of 16 kg;
- the fuel tank, which is 90 % full, including fuel;
- the driver, whose weight regardless of the actual weight is generally specified as 75 kg in accordance with EU law.

Information on the mass in running order can be found for each model in our sales documents. It is important to note that the value for mass in running order given in the sales documents is a default value determined in the type-approval procedure and verified by the authorities. It is legally permissible and possible for the mass in running order of the vehicle delivered to you to deviate from the nominal value stated in the sales documents. The legally permissible tolerance is $\pm\,5\,\%$. In this way, the EU legislator accounts for the fact that certain fluctuations in the mass in running order occur due to variations in the weight of supplied parts as well as due to processes and weather conditions. These weight deviations can be illustrated by means of an example calculation:

- Mass in running order acc. to sales documents: 2,850 kg
- Legally permissible tolerance of ± 5 %: 142.50 kg
- Legally permissible range of mass in running order: 2,707.50 kg to 2,992.50 kg

The specific range of permissible weight deviations can be found for each model in the technical data. Carado makes great efforts to reduce weight variations to the minimum that is unavoidable for production reasons. Deviations at the upper and lower end of the range are therefore very rare; however, they cannot be completely ruled out technically, even with all optimisations. The real weight of the vehicle and compliance with the permissible tolerance is therefore checked by Carado by weighing each vehicle at the end of the line.

3. MASS OF THE PASSENGERS

The mass of the passengers is set a standard value of 75 kg for each seat provided by the manufacturer, regardless of the actual weight of the passengers. The mass of the driver is already included in the mass in running order (see no. 2 above) and is therefore not included again. In the case of a motorhome with four permitted seats, the mass of the passengers is therefore $3 \cdot 75$ kg = 225 kg.

4. OPTIONAL EQUIPMENT AND ACTUAL MASS OF THE VEHICLE

Optional equipment (also: additional equipment) includes, according to the legal definition, all optional equipment parts not included in the standard equipment which are fitted to the vehicle under the responsibility of the manufacturer - i.e. ex works - and can be ordered by the customer (e.g. awning, bicycle or motorbike carrier, satellite system, solar system, oven, etc.). Information on the individual or package weights of the optional equipment that can be ordered can be found in our sales documents. Optional equipment in this sense does not include other accessories that are retrofitted by the dealer or you personally after the vehicle has been delivered ex works. The mass of the vehicle in running order (see no. 2 above) and the mass of the optional equipment fitted to a specific vehicle at the factory are together referred to as the actual mass. You will find the corresponding information for your vehicle after handover under item 13.2 of the Certificate of Conformity (CoC). Please note that this specification also represents a standardised value. Since the mass in running order - as an element of the actual mass - is subject to a legally permissible tolerance of ± 5% (see no. 2), the actual mass may also deviate accordingly from the stated nominal value.

5. PAY-MASS AND MINIMUM PAY-MASS

The installation of optional equipment is also subject to technical and legal limits: Only so much optional equipment can be ordered and fitted at the factory that sufficient free weight remains for baggage and other accessories ("pay-mass") without exceeding the technically permissible maximum laden mass. The pay-mass is calculated by subtracting the mass in running order (nominal value according to sales documents, see no. 2 above), mass of the optional equipment and the mass of the passengers (see no. 3 above) from the technically permissible maximum laden mass (see no. 1 above). The EU regulations stipulate a fixed minimum pay-mass for motorhomes, which must remain as a minimum for baggage or other non-factory-fitted accessories. This minimum pay-mass is calculated as follows:

Minimum pay-mass in kg \geq 10 · (n + L)

Where: "n" is the maximum number of passengers plus the driver and "L" is the overall length of the vehicle in metres.

For a motorhome with a length of 6 m and 4 approved seats, the minimum pay-mass is therefore e.g. 10 kg \cdot (4 + 6) = 100 kg.

To ensure that the minimum pay-mass is maintained, there is a maximum combination of optional equipment that can be ordered for each vehicle model. In the above example with a minimum pay-mass of 100 kg, the total mass of optional equipment for a vehicle with four permitted seats and a mass in running order of 2,850 kg should not exceed 325 kg:

3.500 kg technically permissible maximum laden mass

- 2.850 kg mass in running order

- 3 · 75 kg mass of the passengers

- 100 kg minimum pay-mass

= 325 kg maximum permissible mass of optional equipment

It is important to note that this calculation is based on the default value for mass in running order as defined in the type-approval procedure, without taking into account the permissible weight deviations for mass in running order (see no. 2 above). If the maximum permissible value for the optional equipment of (in the example) 325 kg is almost or completely exhausted, an upward weight deviation can therefore result in the minimum pay-mass of 100 kg being met mathematically using the default value for the mass in running order, although in fact there is no corresponding load capacity. Here, too, an example calculation for a vehicle with four seats, whose real weighed mass in running order is 2% above the nominal value:

3.500 kg technically permissible maximum laden mass

- 2.907 kg real weighed mass in running order

(+ 2 % compared to the stated value of 2,850 kg)

- 3 · 75 kg mass of the passengers

- 325 kg optional equipment (maximum permissible value)

= 43 kg actual load capacity

(< minimum pay-mass of 100 kg)

In order to avoid such a situation, Carado further reduces the maximum permissible weight of the total optional equipment that can be ordered on a model-specific basis. The limitation of optional equipment is intended to ensure that the minimum pay-mass, i.e. the legally prescribed free mass for baggage and retrofitted accessories, is actually available for the vehicle load capacity of the vehicles delivered by Carado.

Since the weight of a specific vehicle can only be determined when it is weighed at the end of the line, in very rare cases a situation may arise in which the minimum pay-mass at the end of the line is not guaranteed, despite this limitation of optional equipment. In order to guarantee the minimum pay-mass even in these cases, Carado will check together with your trade partner and you before delivery of the vehicle whether, for example, the vehicle is loaded up, seats are reduced or optional equipment is removed.

6. EFFECTS OF TOLERANCES OF THE MASS IN RUNNING ORDER ON THE PAY-MASS

Regardless of the minimum pay-mass, you should note that unavoidable production-related fluctuations in the mass in running order – both upwards and downwards – have a mirror-image effect on the remaining load capacity: If you order our example vehicle (see no. 3. above), for example, with optional equipment with a total weight of 150 kg, the calculated pay-mass based on the default value for the mass in running order is 275 kg. The load capacity actually available may deviate from this value due to tolerances and may be higher or lower. If the mass in running order of your vehicle is, for example, permissibly 2% higher than stated in the sales documents, the load capacity is reduced from 275 kg to 218 kg:

3.500 kg technically permissible maximum laden mass

- 2.907 kg real weighed mass in running order

(+ 2% compared to the stated value of 2,850 kg)

- 3 · 75 kg mass of the passengers

- 150 kg optional equipment ordered for the specific vehicle

= 218 kg Tactual load capacity

As a precaution to ensure that the calculated pay-mass is actually given, you should therefore take the possible and permissible tolerances for the mass in running order into account when configuring your vehicle.

We also recommend that you weigh the laden motorhome on a non-automatic scale before each journey and, taking the individual weight of the passengers into account, determine whether the technically permissible maximum laden mass and the technically permissible maximum mass on the axle are observed.

